

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62161
LIBRARY
RECORDED
1947
U. S. Department of Agriculture

**WHOLESALE
TRADE LIST**

EVERGREEN NURSERIES

FALL, 1946 — SPRING, 1947



The Kallay Bros. Co.

Painesville, Ohio

Office: Cor. Madison Ave. and Bowhall Rd.

Phone 5662

**For Nurserymen, Florists, Dealers
and Landscape Architects**

Conditions of Sale

Prices herein listed cancel all previous lists, and are subject to change without notice.

Terms

Prices herein listed are F. O. B. NURSERY AT PAINESVILLE, OHIO. To those with established record for promptness or with satisfactory references, we shall be pleased to extend our regular terms of 30 days from date of invoice. Two per cent (2%) discount will be allowed if paid within ten (10) days, or three (3%) per cent discount for cash in full with order. All orders for C. O. D. shipments must be accompanied by at least one-third ($\frac{1}{3}$) of the amount of the order so as to insure acceptance upon arrival.

Price Quotations

PRICE QUOTATIONS are made for immediate acceptance, subject to prior sale, and to stenographic, typographical errors, or omissions.

Guarantee of Genuineness

We cannot guarantee any trees, shrubs and plants sold by us, other than that they are true to name, and free from any injurious insects or disease, and hold ourselves prepared to replace, on proper proof, all that may prove to be otherwise. Any and all such trees, shrubs and plants are sold upon the express condition and understanding that should any of them prove to be otherwise, we shall not be held responsible for a greater amount than the original price paid, and all orders booked are based on the distinct understanding that the purchaser agrees to the conditions as herein outlined.

Claims

All orders accepted by us are booked on conditions that they shall be void should injury befall the stock from frost, fire, hail storm or other causes of whatsoever nature over which we have no control. All claims of whatsoever nature must be made within 10 days after receipt of the stock. Claims should be made promptly within the time limit specified, and in writing.

Plants become your property upon delivery to the transportation company, and we cannot be responsible for loss, damage, or delay in transit.

TRADE CONDITIONS

Carloading

We have a railroad siding on our own property and are equipped to load cars to all points promptly and without unnecessary extra handling of stock.

Explanatory Notes

Figures following names throughout this list indicate in feet the approximate height of the plant at maturity.

The botanical and common names herein used are in conformity with the "Standardized Plant Names" which is the accepted authority on the plant nomenclature in the horticultural industry.

Our grading standards are based on a schedule which has been accepted and adopted by the American Association of Nurserymen.

Balling of Deciduous Stock

All items herein listed "B. & B." will be balled and burlapped and the cost thereof is included in the prices herein listed.

Deciduous stock listed bare roots may be balled at the option of the purchaser, and a schedule of cost of balling such deciduous stock will be found on Page 72.

Packing Costs

When L. C. L. orders are placed for shipment by common carrier, there will be an additional charge for packing. A schedule of packing prices will be found on Page 72.

THE KALLAY BROS. CO.
PAINESVILLE, OHIO

For the benefit of the amateur planter, and those who care to follow these suggestions, we indicate herein, after the name of each item of woody plant material, the type of soil, PH content of the soil, and exposure of the plant to sun and shade necessary for the best and lasting result and satisfaction.

	Each 1-4	Each 5-24	Each 25-up
ABELIA			
— grandiflora. 3 ft. (Glossy Abelia) Light, peaty, moist PH 6.0-7.5, sun-partial shade.			
15 to 18 in. B&B.....	\$1.25	1.15	1.00
18 to 24 in. B&B.....	1.50	1.35	1.25
2 to 3 ft. B&B.....	2.00	1.75	1.50

ABIES

— balsamea. 40 ft. (Balsam Fir) Loam, moist, PH 5.0-6.5, sun.			
4 to 5 ft. B&B.....	5.00	4.50	
5 to 6 ft. B&B.....	6.00	5.50	
— concolor. 50 ft. (White Fir) Loam, moist, PH 5.5- 6.5, sun.			
5 to 6 ft. B&B.....	7.50	7.00	
6 to 7 ft. B&B.....	11.00	10.00	
7 to 8 ft. B&B.....	15.00	12.50	
— douglasi. (See Pseudotsuga douglasi)			
— pectinata. 50 ft. (silver fir). Loam, moist, PH. 5.5--6.5, sun			
5 to 6 ft. B&B.....	7.50	7.00	

ASANTHOPANAX

— pentaphyllum. 8 ft. (Five Leaf Aralia) Sandy to silty loam, moist, PH 5.5-7.5, sun-shade.			
18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40

ACER

— dasycarpum. 60 ft. (Silver Maple) Sandy to clay loam, moist, PH 6.0-7.5, sun.			
6 to 8 ft.....	1.25	1.15	1.00
8 to 10 ft.....	1.50	1.35	1.25
1¼ to 1½ in.....	2.00	1.75	1.50
1½ to 1¾ in.....	2.25	2.00	1.75
1¾ to 2 in.....	2.50	2.25	2.00
2 to 2½ in.....	3.50	3.25	3.00
2½ to 3 in.....	4.50	4.25	4.00
3 to 3½ in.....	6.50	6.25	6.00
3½ to 4 in.....	10.00	9.00	8.00
4 to 5 in.....	15.00	12.00	
5 to 6 in., price on request			
— dasycarpum wieri. 50 ft. (Wier Cut Leaf Maple). Sandy to clay loam, moist, PH 6.0-7.5, sun.			
1½ to 1¾ in.....	3.00	2.50	
1¾ to 2 in.....	3.50	3.00	
2 to 2½ in.....	5.00	4.00	

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

ACER— Continued

—**ginnala.** 15 ft. (Amur Maple) Good loam, moist,
PH 6.0-7.5, sun- partial shade.

4 to 5 ft.	1.00	.90	.80
5 to 6 ft.	1.25	1.15	1.00
6 to 8 ft.	2.00	1.75	1.50

—**negundo.** 60 ft. (Box Elder) Sandy to clay loam,
moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.25	1.00
8 to 10 ft.	1.75	1.50

—**palmatum.** 12 ft. (Greenleaf Japanese Maple) Silty
clay loam, moist, PH 6.0-7.5, sun-partial shade.

4 to 5 ft. B&B.	3.50	3.00
5 to 6 ft. B&B.	4.50	4.00
6 to 8 ft. B&B.	6.50	6.00

—**palmatum atropurpureum.** 10 ft. (Redleaf Japanese
Maple) Silty clay loam, moist, PH 6.0-7.5, sun
for best color

3½ to 4 ft. B&B.	7.00	6.50	
4 to 5 ft. B&B.	10.00	9.00	8.00
5 to 6 ft. B&B Heavy	12.00	10.00	
6 to 8 ft. B&B Heavy	15.00	12.50	

—**pennsylvanicum.** 20 ft. (Striped Maple) Woodsy
loam, moist, PH 5.0x6.5, partial shade.

6 to 8 ft.	3.00	2.50
8 to 10 ft.	3.50	3.00

—**platanoides.** 50 ft. (Norway Maple) Silty to clay
loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.50	2.25	2.00
1¼ to 1½ in.	3.00	2.75	2.50
1½ to 1¾ in.	3.50	3.25	3.00
1¾ to 2 in.	4.50	4.25	4.00
2 to 2½ in.	6.00	5.50	5.00
2½ to 3 in.	7.00	6.50	
3 to 3½ in.	9.00	8.00	

—**platanoides schwedleri.** 50 ft. (Schwedler Maple)
Silty to clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	3.00	2.50
8 to 10 ft.	3.50	3.00
3 to 3½ in.	15.00	12.50
3½ to 4 in.	20.00	15.00
4 to 5 in.	30.00	25.00

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

ACER—Continued

—**rubrum.** 50 ft. (Red Maple) Medium silty loam, moist, PH 6.0-7.5, sun.

6	to	8	ft.	2.50	2.25	2.00
8	to	10	ft.	3.00	2.75	2.50
1¼	to	1½	in.	3.50	3.25	3.00
1½	to	1¾	in.	4.50	4.25	4.00
1¾	to	2	in.	6.00	5.50	5.00
2	to	2½	in.	8.00	7.50	7.00
2½	to	3	in.	10.00	9.00	8.00
3	to	3½	in.	11.00	10.00	
3½	to	4	in.	17.50	15.00	
4	to	5	in., price on request			
5	to	6	in., price on request			

—**saccharum.** 60 ft. (Sugar or Rock Maple) Medium loam, well drained, PH 6.0-7.5, sun.

6	to	8	ft.	2.50	2.25	2.00
8	to	10	ft.	2.75	2.50	2.25
1¼	to	1½	in.	3.75	3.50	3.25
1½	to	1¾	in.	4.50	4.25	4.00
1¾	to	2	in.	6.00	5.50	5.00
2	to	2½	in.	7.00	6.50	6.00
2½	to	3	in.	9.00	8.50	8.00
3	to	3½	in.	11.00	10.50	10.00
3½	to	4	in.	14.00	13.00	12.00
4	to	5	in.	25.00	20.00	
5	to	6	in. price on request.			

—**tataricum.** 15 ft. (Tatarian Maple) Good, moist loam, PH 6.0-7.5, sun.

5	to	6	ft.	1.50	1.25	
6	to	8	ft.	2.25	2.00	

AESCULUS

—**carnea.** 40 ft. (Red Flowering Horsechestnut) Sandy to silty loam, moist, PH 6.0-7.0, sun.

4	to	5	ft.	5.00	4.50	
5	to	6	ft.	6.50	6.00	
6	to	8	ft.	12.00	10.00	
2	to	2½	in.	25.00	20.00	

—**hippocastanum.** 40 ft. (Horsechestnut) Sandy to silty loam, moist, PH 6.0-7.5, sun.

6	to	8	ft.	3.50	3.00	
1½	to	2	in.	6.50	6.00	
2	to	2	in.	8.00	7.00	

—**octandra.** 60 ft. (Yellow Buckeye) Sandy to silty loam, moist, PH 6.0-7.5, sun.

4	to	5	ft.	2.00	1.50	
5	to	6	ft.	2.50	2.00	
6	to	8	ft.	3.00	2.50	
8	to	10	ft.	4.00	3.50	

—**pavia.** 30 ft. (Red Buckeye) Sandy to silty loam, moist, PH 6.0-7.0, sun.

2	to	3	ft.	3.50	3.00	
3	to	4	ft.	4.50	4.00	
4	to	5	ft.	6.00	5.00	
5	to	6	ft.	6.50	7.00	
6	to	8	ft.	8.00	7.00	

AILANTHUS

—*glandulosa*. 40 ft. (Tree of Heaven) Sandy to clay loam, dry-moist, PH 6.0-7.0, sun.

		Each 1-4	Each 5-24	Each 25-up
6	to 8 ft.	1.75	1.50	
8	to 10 ft.	2.25	2.00	
1½	to 2 in.	3.50	3.00	
2	to 2½ in.	4.50	4.00	
2½	to 3 in.	6.00	5.50	
3	to 3½ in.	7.00	6.50	
3½	to 4 in.	9.00	8.00	

AKEBIA

—*quinata*. 15 ft. (Fiveleaf Akebia) Sandy loam, well drained moist, PH 6.0-7.5, partial shade.

2	year	.40	.35	
3	year	.60	.50	

ALNUS

—*glutinosa*. 50 ft. (European Alder) Medium loam, moist, PH 5.5-7.0, sun, tolerates wet soil.

5	to 6 ft.	2.00	1.50	
6	to 8 ft.	2.50	2.00	

—*incana*. 50 ft. (Speckled Alder) Medium loam, moist, PH 5.5-6.5, partial shade, stands wet soil.

5	to 6 ft.	2.00	1.50	
6	to 8 ft.	2.50	2.00	
8	to 10 ft.	3.00	2.50	
1¼	to 1½ in.	3.50	3.00	

ALTHEA — See Hibiscus

AMELANCHIER

—*alnifolia*. 7 ft. (Saskatoon) Woodsy loam, moist, PH 5.5-7.0, sun, or partial shade.

2	to 3 ft.	.90	.80	.70
3	to 4 ft.	1.50	1.25	
4	to 5 ft.	1.75	1.50	

—*canadensis*. 30 ft. (Downy Shadblow) Woodsy loam, moist, PH 5.0-6.0, sun or partial shade

5	to 6 ft.	2.00	1.50	
6	to 8 ft.	3.50	3.00	
8	to 10 ft.	5.50	5.00	
10	to 12 ft.	9.00	8.00	
12	to 14 ft.	12.00	10.00	

—*stolonifera*. 3 ft. (Running Shadblow) Medium loam, moist, PH 6.0-7.5, sun or partial shade, good for underplanting.

18	to 24 in.	.50	.45	.40
2	to 3 ft.	.60	.55	.50
3	to 4 ft.	.75	.70	.65

AMORPHA

—*canescens*. 2 ft. (Lead Plant) Sandy to loam, moist, PH 6.0-7.5, sun, well drained soil.

12	to 15 in.	.40	.35	
15	to 18 in.	.45	.40	
18	to 24 in.	.60	.50	

—*fruticosa*. 10 ft. (Indigobush) Sandy to loam, moist, PH 6.0-7.5, sun, well drained soil.

2	to 3 ft.	.45	.40	.35
3	to 4 ft.	.50	.45	.40
4	to 5 ft.	.55	.50	.45
5	to 6 ft.	.80	.70	.60

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

AMPELOPSIS

—**heterophylla**. 25 ft. (Porcelain Ampelopsis) Medium loam, dry-moist, PH 6.0-7.5, sun or part shade.

2 year	.50	.45	.40
--------	-----	-----	-----

3 year	.60	.55	.50
--------	-----	-----	-----

—**quinquifolia**. 40 ft. (Virginia Creeper) Medium loam, moist, PH 6.0-7.5, sun or part shade.

2 year	.30	.25	.20
--------	-----	-----	-----

3 year	.35	.30	.25
--------	-----	-----	-----

—**quinquifolia engelmanni**. 40 ft. (Engelmann Creeper) Medium loam, moist, PH 6.0-7.5, sun or part shade.

2 year	.30	.25	.20
--------	-----	-----	-----

3 year	.35	.30	.25
--------	-----	-----	-----

—**tricuspidata lowi**. Medium loam, moist, PH 6.0-7.5, sun, vine or ground cover.

2 year, from 3 in. pots	.60	.55	.50
-------------------------	-----	-----	-----

—**tricuspidata veitchi**. 50 ft. (Boston Ivy) Medium loam, moist, PH 6.0-7.5, sun or part shade.

2 year medium	.35	.30	.25
---------------	-----	-----	-----

2 year No. 1	.40	.35	.30
--------------	-----	-----	-----

AMYGDALUS

—**alboplena**. (Double White Flowering Peach) Medium loam, moist, PH 6.0-7.5, sun.

—**rubroplena**. (Double Red Flowering Peach) Medium loam, moist, PH 6.0-7.5, sun.

3 to 4 ft.	1.00	.75
------------	------	-----

4 to 5 ft.	1.25	1.00
------------	------	------

ARALIA

—**spinosa**. 20 ft. (Hercules Club) Sandy to silty loam, dry-moist, PH 6.0-7.5, sun or part shade.

5 to 6 ft.	1.00	.90	.80
------------	------	-----	-----

6 to 8 ft.	1.50	1.35	1.25
------------	------	------	------

8 to 10 ft.	2.25	2.00
-------------	------	------

ARONIA. Pyrus

—**arbutifolia**. 6 ft. (Red Chokeberry) Medium loam, moist or well drained, PH 5.0-6.5, sun or part shade.

2 to 3 ft.	.50	.45	.40
------------	-----	-----	-----

3 to 4 ft.	.55	.50	.45
------------	-----	-----	-----

4 to 5 ft.	.60	.55	.50
------------	-----	-----	-----

—**atropurpurea**. 6 ft. (Purple Chokeberry) Medium loam, moist, PH 5.0-6.5, moist well drained soil.

2 to 3 ft.	.50	.45	.40
------------	-----	-----	-----

3 to 4 ft.	.55	.50	.45
------------	-----	-----	-----

4 to 5 ft.	.60	.55	.50
------------	-----	-----	-----

—**brilliantissima**. 6 ft. (Brilliant Chokeberry) Medium loam, moist, PH 5.0-6.5, sun or part shade, well drained soil.

2 to 3 ft.	.50	.45	.40
------------	-----	-----	-----

3 to 4 ft.	.55	.50	.45
------------	-----	-----	-----

ARONIA — Continued

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

—**melanocarpa**. 8 ft. (Black Chokeberry) Medium loam, dry or moist, PH 5.0-6.5, sun or part shade.

2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.55	.50	.45
4 to 5 ft.	.60	.55	.50

—**melanocarpa elata**. 8 ft. (Glossy Chokeberry) Medium loam, dry or moist, PH 5.0-6.5, sun or part shade.

2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.55	.50	.45

AZALEA

—**calendulacea**. 8 ft. (Flame Azalea) Woodsy loam, moist-drained, PH 4.5-5.5, sun or light shade, acid high organic.

18 to 24 in. B&B	3.50	3.00	
2 to 3 ft. B&B	4.50	4.00	

—**canescens roseum**. 6 ft. (Pink) Woodsy loam, moist-drained, PH 4.5-5.5, sun, acid high organic.

18 to 24 in. B&B	3.50	3.00	
2 to 3 ft. B&B	4.50	4.00	

—**kaempferi**. 5' (Torch azalea) Woodsy loam, moist, drained, PH 4.5-6.0

9 to 12 in. B&B	1.50	1.25	
12 to 15 in. B&B	2.00	1.75	

—**mollis — red and pink**. 3 ft. (Chinese Azalea) Woodsy loam, moist-drained, PH 4.5-6.5, sun, acid high organic.

9 to 12 in. B&B	1.25	1.15	1.00
12 to 15 in. B&B	2.25	2.00	1.75
15 to 18 in. B&B	2.50	2.25	

—**mollis-yellow**. 3 ft. (Chinese Azalea) Woodsy loam, moist-drained, PH 4.5-6.0, sun, acid high organic.

9 to 12 in. B&B	1.25	1.15	1.00
12 to 15 in. B&B	2.25	2.00	1.75
15 to 18 in. B&B	2.50	2.25	

—**mucronulata**. 5 ft. (Lavender, early bloomer) Woodsy loam, moist-drained, PH 4.5-6.0, sun, acid, high organic.

15 to 18 in. B&B	2.25	2.00	
18 to 24 in. B&B	3.00	2.50	
2 to 2½ ft. B&B	3.50	3.00	

—**nudiflora**. 6 ft. (Pinxterbloom). Woodsy loam, moist-drained, PH 4.5-5.5, sun or part shade, acid high organic.

18 to 24 in. B&B	3.50	3.00	
2 to 3 ft. B&B	4.50	4.00	

BENZON

—**aestivale**. 12 ft. (Spicebush) Sandy to clay loam, moist, PH 4.5-6.0, sun or part shade, stands wet soil.

18 to 24 in.	.35	.30	.25
2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.55	.50	.45
4 to 5 ft.	.70	.65	.60

BERBERIS

	Each 1-24	Each 25-249	Each 250-up
—koreana. 6 ft. (Korean Barberry) Sandy to clay loam, moist, PH 6.0-7.5, sun.			
2 to 3 ft.....	.60	.50	
3 to 4 ft.....	.70	.60	
—mentorensis. 6' (Mentor barberry) semi-evergreen sandy to clay loam, PH 6.0-7.5, sun or part shade			
12 to 15 in.....	.35	.30	
—thunbergi. 5 ft. (Japanese Barberry) Sandy to clay loam, moist, PH 6.0-7.5, sun or part shade.			
12 to 15 in.....	.25	.20	.18
15 to 18 in.....	.30	.22	
18 to 24 in.....	.35	.25	
24 to 30 in.....	.40	.30	
30 to 36 in.....	.50	.40	
—thunbergi atropurpurea. 5 ft. (Red Japanese Bar- berry) Sandy to clay loam, moist, PH 6.0-7.5, sun for best color.			
12 to 15 in.....	.30	.25	.22
24 to 30 in.....	.45	.40	.35
30 to 36 in.....	.65	.60	.50
—thunbergi minor. 3 ft. (Box Barberry) Sandy to clay loam, moist, PH 6.0-7.5, sun or part shade.			
9 to 12 in.....	.30	.25	
12 to 15 in.....	.35	.30	
15 to 18 in.....	.40	.35	

BETULA

	Each 1-4	Each 5-24	Each 25-up
—alba. 40 ft. (European White Birch) Sandy loam, dry-moist, PH 5.0-6.5, sun or part shade.			
6 to 8 ft.....	2.00	1.75	1.50
8 to 10 ft.....	2.50	2.25	2.00
1¼ to 1½ in.....	2.75	2.50	2.25
1½ to 1¾ in.....	3.00	2.75	2.50
1¾ to 2 in.....	3.50	3.00	
2 to 2½ in.....	5.00	4.50	
2½ to 3 in.....	6.50	6.00	
3 to 3½ in.....	9.00	8.00	
—alba lacinata. 40 ft. (Cut Leaf Weeping Birch) San- dy loam, dry-moist, PH 5.0-6.5, sun-part shade.			
5 to 6 ft.....	2.50	2.00	
6 to 8 ft.....	3.00	2.50	
8 to 10 ft.....	3.50	3.00	
—lutea. 40 ft. (Yellow Birch) Good, Medium loam, moist, PH 5.0-7.0, sun or part shade, tolerant to wet soil.			
8 to 10 ft.....	2.25	2.00	
1¼ to 1½ in.....	3.00	2.75	
1½ to 1¾ in.....	4.50	4.00	

BETULA — Continued

Each 1-4 Each 5-24 Each 25-up

—**nigra**. Multiple Stems. Good, medium loam, moist, PH 5.0-7.0, sun or part shade, tolerant to wet soil.

6 to 8 ft. B&B.....	8.00	7.00
8 to 10 ft. B&B.....	9.00	8.00
10 to 12 ft. B&B.....	12.00	10.00
12 to 14 ft. B&B.....	17.00	15.00

—**papyrifera**. 50 ft. (Canoe Birch) Good loam, moist, PH 5.0-6.5, sun or part shade, good moist soil.

6 to 8 ft.....	2.50	2.00
8 to 10 ft.....	3.00	2.50
1¼ to 1½ in.....	3.50	3.00
1½ to 1¾ in.....	4.00	3.50
1¾ to 2 in.....	5.00	4.50
2 to 2½ in.....	6.50	6.00
2½ to 3 in.....	7.50	7.00

BIGNONIA

—**grandiflora**. 20 ft. (Chinese Trumpetreeper) Rich silty to clay loam, dry-moist, PH 6.0-7.5, sun.

3 year60	.50
--------------	-----	-----

—**radicans**. 25 ft. Trumpetreeper) Sandy to silty clay loam, dry-moist, PH 6.0-7.5, sun or part shade.

2 year No. 1, \$150.00 per M...	.25	.22	.18
3 year No. 1, \$180.00 per M...	.30	.25	.20

BUDDLEIA — (Butterfly Bush)

—**alternifolia** (Lilac-purple) Sandy loam, moist well drained, PH 6.0-7.5, sun.

3 year45	.40
--------------	-----	-----

—**charming**. (Bright Pink) Sandy loam, moist well-drained, PH 6.0-7.5, sun.

2 year40	.35	.30
--------------	-----	-----	-----

—**concord**. (Reddish Blue) Sandy loam, moist well-drained, PH 6.0-7.5, sun.

2 year40	.35	.30
--------------	-----	-----	-----

—**dubonnet**. (Wine Red) Sandy loam, moist well drained, PH 6.0-7.5, sun.

2 year40	.35	.30
--------------	-----	-----	-----

—**eleanor**. (Blue, Orange Eye) Sandy loam, moist well-drained, PH 6.0-7.5, sun.

2 year40	.35	.30
--------------	-----	-----	-----

—**ile de france**. (Claret-Purple) Sandy loam, moist well-drained, PH 6.0-7.5, sun.

2 year40	.35	.30
--------------	-----	-----	-----

BUXUS

—**sempervierens.** 12 ft. (Boxwood) unsheared. Rich, medium loam, moist well-drained, PH 6.0-7.5, sun, part shade.

	Each 1-4	Each 5-24	Each 25-up
12 to 15 in. B&B	2.00	1.75	1.50
15 to 18 in. B&B	2.25	2.00	1.75
18 to 24 in. B&B	2.50	2.25	2.00
42 to 48 in. B&B	6.50	6.00	

CALLICARPA

—**purpurea.** 4 ft. (Chinese Beautyberry) Medium loam, moist, PH 6.0-7.5, sun

18 to 24 in.	.35	.30	
2 to 3 ft.	.45	.40	

CALYCANTHUS

—**floridus.** 5 ft. (Strawberry Shrub) Medium loam, moist, PH 6.0-7.5, sun or light shade, tolerant to wet soil.

12 to 15 in.	.35	.30	.25
15 to 18 in.	.35	.30	
18 to 24 in.	.40	.35	
2 to 3 ft.	.45	.40	
3 to 4 ft.	.60	.50	

CARAGANA

—**arborescens.** 12 ft. (Siberian Peashrub) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun or shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60
6 to 8 ft.	1.00	.90	.80

CARPINUS

—**carolineana.** 35 ft. (American Hornbeam) Medium loam, moist, PH 6.0-7.5, sun or shade.

2 to 3 ft. B&B	3.00	2.75	2.50
3 to 4 ft. B&B	4.00	3.50	3.00
4 to 5 ft. B&B	4.50	4.25	4.00
5 to 6 ft. B&B	5.50	5.25	5.00
6 to 8 ft. B&B	8.00	7.50	7.00
8 to 10 ft. B&B	11.00	10.00	9.00
1½ to 1¾ in. B&B	12.00	11.00	

CASTANEA

—**mollissima.** 40 ft. (Hairy Chestnut) Medium loam, moist, PH 5.5-7.0, sun.

2 to 3 ft.	2.50	2.00	
3 to 4 ft.	4.00	3.50	

CATALPA

—**bignonioides nana.** 12 ft. (Umbrella Tree) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.

6 to 8 ft., 3 year head	2.50	2.00	
-------------------------	------	------	--

—**speciosa.** 35 ft. (Western Catalpa) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.

8 to 10 ft.	1.50	1.25	
1½ to 2 in.	2.25	2.00	

CELASTRUS

	Each 1-4	Each 5-24	Each 25-up
—orbiculatus. 15 ft. (Oriental Bittersweet) Medium loam, dry-moist, PH 5.0-7.0, sun or shade.			
2 year No. 1	.40	.35	.30
3 year No. 1	.45	.40	.35
—scandens. 20 ft. (American Bittersweet) Medium loam, dry-moist, PH 5.0-7.0, sun or shade. fruits best in sun.			
2 year No. 1	.40	.35	.30
3 year No. 1	.45	.40	.35

CELTIS

—occidentalis. 45 ft. (Hackberry) Sandy to silty clay moist, PH 6.0-7.5, sun, stand poor soil.			
5 to 6 ft.	2.00	1.75	1.50
6 to 8 ft.	2.25	2.00	
8 to 10 ft.	3.00	2.50	
1¼ to 1½ in.	3.50	3.00	
1½ to 1¾ in.	4.00	3.50	
1¾ to 2 in.	4.50	4.00	
2 to 2½ in.	6.00	5.50	

CEPHALANTHUS

—occidentalis. 6 ft. (Buttonbush) Loam to silty clay moist, PH 6.0-7.5, sun to part shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50

CERCIS

Canadensis. 30 ft. (Judas Tree) Medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.	.60	.55	.50
3 to 4 ft.	.75	.65	.60
4 to 5 ft.	.90	.85	.75
5 to 6 ft.	1.50	1.25	
6 to 8 ft.	2.00	1.75	
8 to 10 ft.	3.25	3.00	
10 to 12 ft.	5.00	4.50	4.00

CERCIDIPHYLLUM

—japonicum. 25 ft. (Katsura Tree) Rich, medium loam, moist, PH 6.0-7.5, sun or part shade.			
3 to 4 ft. B&B	3.00	2.50	
12 to 14 ft. B&B	25.00	20.00	
14 to 16 ft. B&B	35.00	30.00	

CHIONANTHUS

—virginica. 15 ft. (White Fringe) Well drained medium loam, moist, PH 5.0-6.0, sun.			
4 to 4 ft.	1.50	1.25	
5 to 6 ft.	1.75	1.50	
6 to 8 ft.	2.00	1.75	
8 to 10 ft.	3.00	2.50	

	Each 1-4	Each 5-24	Each 25-up
CLADRASTIS			
— <i>lutea</i> . 35 ft. (Yellowwood) Medium loam, moist, PH 6.0-7.5, sun, high organic matter.			
4 to 5 ft.....	1.75	1.50	
5 to 6 ft.....	2.25	2.00	
6 to 8 ft.....	4.00	3.50	
8 to 10 ft.....	5.00		
CLEMATIS			
— <i>paniculata</i> . 20 ft. (Sweet Autumn Clematis) Rich, medium loam, moist well drained, PH 6.5-7.5, sun or part shade.			
2 year Medium30	.25	.20
2 year No. 140	.35	.30
— <i>hybrids</i> , large flowering			
<i>henryi</i> (Snow-white)70	.60	
<i>jackmanni</i> (Violet-blue)70	.60	
<i>Mad. Ed. Andre</i> (Wine-red)70	.60	
— <i>virginiana</i> . 25' (Virgins-bower) rich, medium loam moist, well drained, PH 6.5-7.5 sun or part shade.			
2 year30	.25	
3 year35	.30	
CLETHRA			
— <i>alnifolia</i> . 6 ft. (Sweet Pepperburr Bush) Woodsy moist, PH 4.5-5.5, sun or part shade, high organic matter.			
18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.50	.45
4 to 5 ft.....	.75	.65	.60
CLERODENDRON			
— <i>trichotomum</i> . 6 ft. (Harlequin) Medium loam, moist, PH 6.0-7.5, sun or slight shade.			
3 to 4 ft.....	1.00	.85	.75
4 to 5 ft.....	1.25	1.10	1.00
5 to 6 ft.....	1.50	1.25	
COLUTHEA			
— <i>arborescens</i> . 10 ft. (Bladder Senna) Sandy to clay loam, dry-moist, PH 6.0-7.5, sun			
5 to 6 ft.....	.85	.75	
6 to 8 ft.....	1.00	.90	
COMPTONIA			
— <i>esplenifolia</i> . 3 ft. (Sweet Fern) Porous sandy loam, dry, PH 5.0-6.0, sun-light shade.			
15 to 18 in.....	.50	.45	.40
18 to 24 in.....	.60	.55	.50
CORNUS			
— <i>alba elegantissima</i> . 6 ft. (Silverblotch Dogwood) Medium loam, moist, PH 6.0-7.5, sun.			
18 to 24 in.....	.45	.40	
4 to 5 ft.....	.85	.75	
— <i>alba sibirica</i> . 8 ft. (Coral Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
6 to 8 ft.....	1.00	.90	.75

CORNUS — Continued

	Each 1-4	Each 5-24	Each 25-up
—alba spaethi. 6 ft. (Golden Leaved Dogwood) Medium loam, moist, PH 6.0-7.5, sun.			
18 to 24 in.....	.45	.40	.35
2 to 3 ft.....	.60	.50	
3 to 4 ft.....	.75	.60	
—alternifolia. 18 ft. (Pagoda Dogwood) Medium loam, moist, PH 5.5-7.0, sun or shade.			
5 to 6 ft.....	1.25	1.00	
6 to 8 ft.....	1.50	1.25	
—amomum. 8 ft. (Silky Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
—baileyi. 10 ft. (Bailey Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
—florida. 20 ft. (White Flowering Dogwood) Good medium loam, moist well drained, PH 5.0-6.5, sun or part shade.			
3 to 4 ft. B&B.....	1.25	1.15	1.00
4 to 5 ft. B&B.....	3.50	3.25	3.00
5 to 6 ft. B&B.....	4.50	4.25	4.00
6 to 8 ft. B&B.....	6.00	5.50	5.00
8 to 10 ft. B&B.....	8.00	7.50	7.00
10 to 12 ft. B&B.....	12.00	10.00	
—florida tree form. Same as above			
2 to 2½ in. B&B.....	15.00	12.50	
2½ to 3 in. B&B.....	20.00	15.00	
3 to 3½ in. B&B.....	25.00	20.00	
3½ to 4 in. B&B.....	30.00	25.00	
4 to 5 in. B&B.....	40.00	35.00	
—florida rubra. 20 ft. (Red Flowering Dogwood) Good medium loam, moist, well drained, PH 5.0-6.5, sun or part shade.			
5 to 6 ft. B&B.....	5.50	5.25	5.00
6 to 8 ft. B&B.....	8.00	7.00	6.00
8 to 10 ft. B&B.....	11.00	10.00	9.00
—mas. 20 ft. (Cornelian Cherry) Good, medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.90	.80	.70
4 to 5 ft.....	1.25	1.15	1.00
5 to 6 ft.....	2.00	1.75	1.50
6 to 8 ft.....	2.50	2.25	2.00

CORNUS — Continued

	Each 1-4	Each 5-24	Each 25-up
—paniculata. 12 ft. (Gray Dogwood) Medium loam, moist, PH 6.0-7.5, sun or shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60
6 to 8 ft.	1.00	.90	.75
—sanguinea. 10 ft. (Bloodtwig Dogwood) Medium loam moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
—stolonifera. 10 ft. (Red Osier Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60
6 to 8 ft.	1.00	.90	.75
—stolonifera flaviramae. 6 ft. (Golden Twig Dogwood) Medium loam, moist, PH 6.0-7.5, sun.			
2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50

CORYLUS

—america. 12 ft. (American Hazelnut) Medium loam, moist, PH 6.0-7.0, sun or medium shade.			
5 to 6 ft.	1.00	.90	
6 to 8 ft.	1.25	1.00	
8 to 10 ft.	2.00	1.50	

COTONEASTER

—acutifolia. 12 ft. (Peking Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun.			
2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.55	.50	.45
—apiculata. 5 ft. (Large Red Berries) Rich, medium loam, moist, PH 6.0-7.5, sun or slight shade.			
12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	2.00	1.75	1.50
—bullata. 6 ft. (Red Berries) Rich, medium loam, moist, PH 6.0-7.5, sun.			
2 to 3 ft. B&B	1.50	1.25	
3 to 4 ft. B&B	2.00	1.75	1.50
4 to 5 ft. B&B	2.50	2.25	2.00
—dielsiana. 6 ft. (Diel's Cotoneaster) Rich medium loam, moist, PH 6.0-7.5, sun.			
2 to 3 ft. B&B	1.50	1.35	1.25
3 to 4 ft. B&B	2.00	1.75	1.50
—divericata. 6 ft. (Spreading Cotoneaster). Rich, med- ium loam, moist, PH 6.0-7.5, sun or slight shade.			
18 to 24 in. B&B	1.25	1.15	1.00
2 to 3 ft. B&B	1.50	1.35	1.25
3 to 4 ft. B&B	2.00	1.75	1.50
4 to 5 ft. B&B	2.50	2.25	2.00

	Each 1-4	Each 5-24	Each 25-up
COTONEASTER — Continued			
— foveolata. 10 ft. Rich, medium loam, moist, PH 6.0-7.5, sun or slight shade.			
2 to 3 ft. B&B.....	1.50	1.35	1.25
3 to 4 ft. B&B.....	2.00	1.75	1.50
— horizontalis. 3 ft. Prostrate Quinceberry) Rich, medium loam, moist, PH 6.0-7.5, sun.			
12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	1.50	1.35	1.25
18 to 24 in. B&B.....	2.00	1.75	1.50
24 to 30 in. B&B.....	2.50	2.25	2.00
— hupehensis. 5 ft. (Hupen Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun.			
18 to 24 in. B&B.....	1.25	1.15	1.00
2 to 3 ft. B&B.....	1.50	1.35	1.25
3 to 4 ft. B&B.....	2.00	1.75	1.50
— integerrima. 6 ft. (Bright Red Berries) Rich, medium loam, moist, PH 6.0-7.5, sun.			
2 to 3 ft. B&B.....	1.50	1.35	1.25
3 to 4 ft. B&B.....	2.00	1.75	1.50
— lucida. 12 ft. Rich loam, moist, PH 6.0-7.5, sun or slight shade.			
2 to 3 ft. B&B.....	1.50	1.35	
3 to 4 ft. B&B.....	2.00	1.75	
— microphylla. 15 ft. (Rockspray) Rich, medium loam, moist, PH 6.0-7.5, sun.			
12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	1.50	1.35	1.25
18 to 24 in. B&B.....	1.75	1.65	1.50
— nitens. 6 ft. (Purplish Black Berries) Rich, medium loam, moist, PH 6.0-7.5, sun.			
2 to 3 ft. B&B.....	1.50	1.35	1.25
3 to 4 ft. B&B.....	2.00	1.75	1.50
— rotundifolia. 6 ft. (Roundleaf Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun.			
12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	1.50	1.35	1.25
18 to 24 in. B&B.....	2.00	1.75	1.50
— salicifolia. 10 ft. (Willowleaf Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft. B&B.....	1.50	1.35	1.25
3 to 4 ft. B&B.....	2.00	1.75	1.50
— wilsoni. 4 ft. (Wilson Cotoneaster) Rich, medium loam, moist well drained, PH 6.0-7.5, sun.			
12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	1.50	1.35	1.25
18 to 24 in. B&B.....	2.00	1.75	1.50
24 to 30 in. B&B.....	2.50	2.25	2.00

CRATAEGUS

— coccinea. 15 ft. (Thicket Hawthorn) Medium loam, or heavy soil, moist, PH 6.0-7.5, sun.			
3 to 4 ft.....	1.50	1.35	1.25
4 to 5 ft.....	2.00	1.75	1.50
5 to 6 ft.....	2.50	2.25	2.00
6 to 8 ft.....	3.00	2.75	2.50
8 to 10 ft.....	4.00	3.50	3.00

		Each 1-4	Each 5-24	Each 25-up
CRATAEGUS — Continued				
— cordata . 12 ft. (Washington Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun or part shade.				
3 to 4 ft.		1.50	1.35	1.25
4 to 5 ft.		2.00	1.75	1.50
5 to 6 ft.		2.50	2.25	2.00
6 to 8 ft.		3.00	2.75	2.50
8 to 10 ft.		3.50	3.25	3.00
10 to 12 ft.		4.50	4.00	
— crusgalli . 15 ft. (Cockspur Thorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.				
3 to 4 ft.		1.50	1.35	1.25
4 to 5 ft.		2.00	1.75	1.50
5 to 6 ft.		2.50	2.25	2.00
6 to 8 ft.		3.00	2.75	2.50
— mollis . 18 ft. (Downy Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.				
3 to 4 ft.		1.50	1.35	1.25
4 to 5 ft.		2.00	1.75	1.50
5 to 6 ft.		2.50	2.25	2.00
6 to 8 ft.		3.00	2.75	2.50
8 to 10 ft.		4.00	3.50	3.00
10 to 12 ft.		5.00	4.50	4.00
— nitida . 15 ft. (Glossy Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.				
3 to 4 ft.		1.50	1.35	1.25
4 to 5 ft.		2.00	1.75	1.50
5 to 6 ft.		2.50	2.25	2.00
6 to 8 ft.		3.00	2.75	
— oxyacantha . 12 ft. (English Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun or part shade.				
3 to 4 ft.		1.50	1.35	
4 to 5 ft.		2.00	1.75	
5 to 6 ft.		2.50	2.25	
6 to 8 ft.		3.00	2.75	
8 to 10 ft.		3.50	3.25	
— oxyacantha pauli . 15 ft. (Paul's Scarlet Thorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.				
3 to 4 ft.		1.75	1.50	
4 to 5 ft.		2.25	2.00	
— prunifolia . 25 ft. (Plumleaf Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.				
3 to 4 ft.		1.50	1.35	1.25
4 to 5 ft.		2.00	1.75	1.50
5 to 6 ft.		2.50	2.25	2.00
— punctata . 22 ft. (Dotted Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.				
4 to 5 ft.		2.00	1.75	
5 to 6 ft.		2.50	2.25	
6 to 8 ft.		3.00	2.75	
— tomentosa . 20 ft. (Pear Hawthorn) Medium loam, or heavy soil, moist, PH 6.0-7.5, sun.				
4 to 5 ft.		2.00	1.75	
5 to 6 ft.		2.50	2.25	
6 to 8 ft.		3.00	2.75	
8 to 10 ft.		3.50	3.25	

CRYPTOMERIA

	Each 1-4	Each 5-24	Each 25-up
— <i>japonica lobbi</i> . 20 ft. (Lobb Cryptomeria) Sandy to clay loam, moist, PH 6.0-7.5, sun.			
5 to 6 ft. B&B	7.00	6.00	
6 to 7 ft. B&B	9.00	8.00	
7 to 8 ft. B&B	11.00	10.00	

CYDONIA

— <i>japonica</i> . 5 ft. (Japan Quince) Sandy to silty clay, moist well drained, PH 6.0-7.5, sun or part shade.			
18 to 24 in.	.40	.35	.30
2 to 3 ft.	.50	.45	.40
— <i>japonica pygmaea</i> . 3 ft. (Dwarf Japan Quince) Sandy to silty clay, moist well drained, PH 6.0-7.5, sun or part shade.			
15 to 18 in.	.35	.40	.25
18 to 24 in.	.50	.45	.40
2 to 3 ft.	.60	.55	.50
— <i>japonica umbilicata</i> . 8 ft. (Navel Flowering Quince) Sandy to silty clay, moist drained, PH 6.0-7.5, sun or part shade.			
15 to 18 in.	.35	.30	
18 to 24 in.	.50	.45	

DAPHNE

— <i>cneorum</i> . 15 in. (Garland Flower) Porous peaty or sandy, moist well drained, PH 5.5-7.5, sun.			
6 to 8 in. B&B	.70	.60	
8 to 12 in. B&B	.90	.80	
12 to 15 in. B&B	1.25	1.00	
— <i>mezereum</i> . 4 ft. (February daphne) Porous, sandy or loam, moist, PH 5.0-6.5, sun or light shade.			
12 to 15 in. B&B	1.50	1.25	
15 to 18 in. B&B	1.75	1.50	
18 to 24 in. B&B	2.25	2.00	

DESMODIUM

— <i>penduliflorum</i> . (Bushclover) Medium loam, dry-moist PH 6.5-7.5, sun.			
2 year	.45	.40	
3 year	.60	.50	

DEUTZIA

— <i>gracilis</i> . 3 ft. (Slender Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun.			
12 to 15 in.	.35	.30	.25
15 to 18 in.	.40	.35	.30
18 to 24 in.	.45	.40	.35
24 to 30 in.	.55	.50	.45
— <i>gracilis rosea</i> . 4 ft. (Rose Panicle Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun.			
18 to 24 in.	.45	.40	.35
24 to 30 in.	.50	.45	.40
30 to 36 in.	.55	.50	.45
— <i>lemoini</i> . 5 ft. (Lemoine Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun or partial shade.			
18 to 24 in.	.40	.35	.30
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.50	

	Each 1-4	Each 5-24	Each 25-up
DEUTZIA — Continued			
— scabra candissima. 12 ft. (Snowflake Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
— scabra crenata rosea plena. 7 ft. (Double Rose Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60
— scabra pride of Rochester. 7 ft. (Double Rose Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50

DIERVILLA

— trifida. 4 ft. (Dwarf Bush Honeysuckle) Sandy to silty loam, moist, PH 6.0-7.5, sun or part shade.			
18 to 24 in.	.35	.30	
2 to 3 ft.	.45	.40	
3 to 4 ft.	.55	.50	

DIOSPYROS

— virginiana. 15 ft. (Common Persimmon) Silty clay loam, moist, PH 6.0-7.5, sun or part shade.			
8 to 10 ft.	3.50	3.00	
1½ to 1¾ in.	4.50	4.00	
1¾ to 2 in.	5.50	5.00	
2 to 2½ in.	6.50	6.00	

ELEAGNUS

— angustifolia. 15 ft. (Russian Olive) Silty clay, moist well drained, PH 6.0-7.5, sun.			
3 to 4 ft.	.50	.45	
4 to 5 ft.	.60	.55	
5 to 6 ft.	.80	.70	.65
6 to 8 ft.	1.25	1.15	1.00
8 to 10 ft.	2.00	1.75	1.50
— argentea. 12 ft. (Silverberry) Silty clay, moist well drained, PH 6.0-7.5, sun or part shade.			
3 to 4 ft.	.60	.55	.50
4 to 5 ft.	.75	.70	.65
5 to 6 ft.	1.00	.90	.80
— longipes. 6 ft. (Cherry Eleagnus) Silty clay, moist well drained, PH 6.0-7.5, sun or part shade.			
18 to 24 in.	.60	.50	
2 to 3 ft.	.80	.65	
— umbellata. 12 ft. (Autumn Eleagnus) Silty clay, moist well drained, PH 6.0-7.5, sun or part shade.			
3 to 4 ft.	.60	.55	.50
4 to 5 ft.	.80	.70	.60
5 to 6 ft.	1.00	.90	.80
6 to 8 ft.	1.50	1.25	

EUONYMUS

	Each 1-4	Each 5-24	Each 25-up
—alatus. 8 ft. (Winged Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or medium shade.			
18 to 24 in.....	.60	.55	.50
2 to 3 ft.....	.80	.70	.60
3 to 4 ft.....	1.00	.90	.80
4 to 5 ft.....	1.50	1.35	1.25
5 to 6 ft.....	2.25	2.00	1.75
—alatus compacta. 6 ft. (Dwarf Winged Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or medium shade.			
18 to 24 in.....	.80	.70	.60
24 to 30 in.....	.90	.80	.70
30 to 36 in.....	1.25	1.15	1.00
3 to 4 ft.....	1.50	1.35	1.25
—americanus. 8 ft. (Brook Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or part shade, tolerates wet soil.			
2 to 3 ft.....	.50	.45	
3 to 4 ft.....	.60	.50	
—atropurpureus. 15 ft. (Wahoo) Silty clay loam, moist, PH 5.5-7.5, sun or part shade, tolerates wet soil.			
4 to 5 ft.....	.70	.60	
5 to 6 ft.....	.90	.80	
—bungeanus. 15 ft. (Winterberry euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or medium shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.55	.50	.45
4 to 5 ft.....	.65	.60	.55
—europaeus. 15 ft. (European Burning Bush) Silty clay loam, moist, PH 5.5-7.5, sun-shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.55	.50	.45
4 to 5 ft.....	.65	.60	.55
5 to 6 ft.....	.80	.75	.65
6 to 8 ft.....	1.25	1.00	
—oxyphyllus. 15 ft. Silty clay loam, moist, PH 5.5-7.5, sun.			
3 to 4 ft.....	.60	.55	.50
4 to 5 ft.....	.80	.70	.60
5 to 6 ft.....	1.00	.90	.80
6 to 8 ft.....	1.50	1.35	1.25
—patens syn. sieboldianus. 8 ft. Sandy to silty clay, moist well drained, PH 5.5-7.5, sun or shade.			
12 to 15 in.....	.45	.40	
15 to 18 in.....	.60	.50	
18 to 24 in.....	.75	.65	

EUONYMUS — Continued

	Each 1-4	Each 5-24	Each 25-up
—radicans. 1 ft. (Wintercreeper) Sandy to silty clay, moist, PH 5.5-7.5, sun or shade.			
9 to 12 in.	.40	.35	.30
12 to 15 in.	.45	.40	.35
15 to 18 in.	.55	.50	.45
—radicans carrieri. 3 ft. (Glossy Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun-shade.			
12 to 15 in.	.40	.35	.30
15 to 18 in.	.55	.50	.45
18 to 24 in.	.65	.60	.55
—radicans colorata. 1 ft. (Red-leaved wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun or shade			
12 to 15 in.	.40	.35	.30
15 to 18 in.	.50	.45	.40
18 to 24 in.	.60	.55	.50
—radicans erecta. 3 ft. (Upright Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun or shade.			
12 to 15 in.	.40	.35	.30
15 to 18 in.	.50	.45	.40
18 to 24 in.	.60	.55	.50
24 to 30 in.	.70	.65	.60
—radicans vegetus. 4 ft. (Largeleaf Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun or shade			
12 to 15 in.	.55	.50	.45
15 to 18 in.	.80	.70	.60
18 to 24 in.	1.00	.90	.80
24 to 30 in.	1.25	1.15	1.00
—radicans vegetus. Upright form Same as above.			
24 to 30 in.	1.25	1.15	1.00
30 to 36 in.	1.50	1.35	1.25
—yedoensis. 10 ft. (Yeddo Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or part shade.			
2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.55	.50	.45
4 to 5 ft.	.65	.60	.55
5 to 6 ft.	.85	.75	.65
6 to 8 ft.	1.25	1.15	1.00

EXOCHORDIA

—grandiflora. 10 ft. (Pearl Bush) Medium loam, moist well drained, PH 6.0-7.5, sun.			
2 to 3 ft.	.45	.40	
3 to 4 ft.	.55	.50	
4 to 5 ft.	.65	.60	
5 to 6 ft.	.85	.75	
6 to 8 ft.	1.25	1.15	

FAGUS

—americana. 60 ft. (American Beech) Medium loam, moist well drained, PH 5.0-7.0, sun or part shade, avoid alkaline soil.			
2 to 3 ft. B&B.	3.50	3.00	
3 to 4 ft. B&B.	4.50	4.00	
4 to 5 ft. B&B.	5.50	5.00	

FAGUS — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**sylvatica**. 75 ft. (European Beech) Medium loam, moist, well drained, PH 6.0-7.0, sun-slight

2 to 3 ft. B&B.....	2.50	2.25	2.00
3 to 4 ft. B&B.....	3.00	2.75	2.50
4 to 5 ft. B&B.....	4.00	3.75	3.50
5 to 6 ft. B&B.....	5.50	5.00	

—**sylvatica heterophylla**. 40 ft. (Fernleaf Beech) Medium loam, moist well drained, PH 5.0-7.0, sun or shade.

2 to 3 ft. B&B.....	4.50	4.00	
3 to 4 ft. B&B.....	6.50	6.00	

—**sylvatica pendula**. 40 ft. (Weeping Beech) Medium loam, moist well drained, PH 5.0-7.0, sun or part shade.

6 to 8 ft. B&B.....	15.00		
---------------------	-------	--	--

—**sylvatica riversi**. 45 ft. (Rivers Purple Beech) Medium loam, moist well drained, PH 5.0-7.0, sun or part shade.

2 to 3 ft. B&B.....	4.00	3.50	3.00
3 to 4 ft. B&B.....	5.00	4.50	4.00
4 to 5 ft. B&B.....	6.50	6.00	
5 to 6 ft. B&B.....	9.00	8.00	
6 to 8 ft. B&B.....	12.00	10.00	
8 to 10 ft. B&B.....	20.00	17.50	
10 to 12 ft. B&B.....	27.50	25.00	

Larger sizes. Price on request.

—**sylvatica tricolor**. 40 ft. Medium loam, moist well drained, PH 5.0-7.0, sun or part shade.

2 to 3 ft. B&B.....	4.50	4.00	
3 to 4 ft. B&B.....	6.00		
4 to 5 ft. B&B.....	8.00		

FORSYTHIA

—**intermedia**. 7 ft. (Border Forsythia) Rich medium loam, moist, PH 6.0-7.5, sun or light shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60

—**intermedia spectabilis**. 8 ft. (Showy Border Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or light shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60

—**ovata**. 8 ft. (Korean Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or light shade.

2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.55	.50

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

FORSYTHIA — Continued

—**suspensa**. 5 ft. (Weeping Forsythia) Rich medium loam, moist, PH 6.0-7.5, sun or light shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—**suspensa fortunei**. 7 ft. (Fortune Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or light shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—**viridissima**. 5 ft. (Greenstem Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or part shade

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

FRAXINUS

—**americana**. 60 ft. (White Ash). Medium loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.25	2.00	1.75
1¼ to 1½ in.	2.50	2.25	2.00
1½ to 1¾ in.	3.00	2.75	2.50
1¾ to 2 in.	4.00	3.75	3.50
2 to 2½ in.	5.50	5.00	
2½ to 3 in.	7.00	6.00	
3 to 3½ in.	8.00	7.00	
3½ to 4 in.	11.00	10.00	

—**excelsior**. 90 ft. (European Ash) Medium loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.00	1.75	
8 to 10 ft.	2.25	2.00	
1¼ to 1½ in.	2.50	2.25	

—**lanceolata**. 60 ft. (Green Ash) Medium loam, moist, PH 6.0-7.5, sun, tolerates wet soil.

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.25	2.00	1.75
1¼ to 1½ in.	2.50	2.25	2.00
1½ to 1¾ in.	3.00	2.75	2.50
1¾ to 2 in.	4.00	3.75	3.50
2 to 2½ in.	5.50	5.00	
2½ to 3 in.	7.00	6.00	

—**mandshurica**. 75 ft. (Manchurian Ash) Medium loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.50	2.25	2.00
8 to 10 ft.	3.00	2.75	2.50
1¼ to 1½ in.	3.50	3.00	
1½ to 1¾ in.	4.00	3.50	

—**quadrangulata**. 80 ft. (Blue Ash) Medium loam, moist, PH 6.0-7.5, sun.

1¾ to 2 in.	5.00	4.50	
2 to 2½ in.	6.00	5.50	

GINKGO

Each	Each	Each
1-4	5-24	25-up

—*biloba*. 60 ft. (Maidenhair Tree) Rich sandy to silty loam, moist well drained, PH 5.5-7.5, sun.

5	to	6	ft.	2.50	2.25	2.00
6	to	8	ft.	3.00	2.75	2.50
8	to	10	ft.	3.50	3.25	3.00
1¼	to	1½	in.	4.00	3.75	
1½	to	1¾	in.	5.00	4.50	
1¾	to	2	in.	6.50	6.00	

GLEDITSIA

—*triocanthos*. 60 ft. (Honey Locust) Rich, silty clay loam, moist, PH 6.0-8.0, sun.

5	to	6	ft.	1.25	1.15	1.00
6	to	8	ft.	2.00	1.75	1.50
1¼	to	1½	in.	3.00	2.75	2.50
1½	to	1¾	in.	3.50	3.25	3.00
1¾	to	2	in.	4.50	4.25	4.00
2	to	2½	in.	6.00	5.50	
2½	to	3	in.	8.50	8.00	

—*triocanthos inermis*. 50 ft. (Thornless Honey Locust) Rich, silty clay loam, moist, PH 6.0-8.0, sun.

5	to	6	ft.	1.75	1.50	1.25
6	to	8	ft.	2.25	2.00	1.75
8	to	10	ft.	2.75	2.50	2.25
1¼	to	1½	in.	3.25	3.00	2.75
1½	to	1¾	in.	4.00	3.75	3.50
1¾	to	2	in.	5.50	5.25	5.00
2	to	2½	in.	8.00	7.50	7.00

GYMNOCLADUS

—*dioica*. 40 ft. (Kentucky Coffee Tree) Rich, medium loam, moist, PH 6.0-8.0, sun.

1¼	to	1½	in.	4.50	4.00	
1½	to	1¾	in.	5.50	5.00	
2	to	2½	in.	7.00	6.50	

HAMAMELIS

—*virginiana*. 15 ft. (Witch-Hazel) Medium loam, moist well drained, PH 6.0-7.0, sun-medium shade.

3	to	4	ft.	.55	.50	.45
4	to	5	ft.	.70	.65	.60
5	to	6	ft.	1.00	.90	.80
6	to	8	ft.	1.25	1.00	

—*vernalis*. 6 ft. (Vernal Witch Hazel) Medium loam, moist well drained, PH 6.0-7.0, sun-medium shade.

2	to	3	ft.	.60	.50	
3	to	4	ft.	.70	.60	
4	to	5	ft.	1.00	.85	

HALESIA

—*tetraptera*. 14 ft. (Great Silverbell) Rich, medium loam, moist well drained, PH 5.5-7.5, sun.

5	to	6	ft.	1.25	1.00	
6	to	8	ft.	1.75	1.50	1.25
8	to	10	ft.	2.50	2.25	2.00

Each	Each	Each
1-4	5-24	25-up

HIBISCUS — Syriacus. 15 ft. (Althea) Deep, sandy to silty loam, moist, PH 6.5-7.5, sun or part shade.

- anemonaeflorus** — double rose
- ardens** — double violet
- banner** — double white, red stripes
- coelestis** — single blue
- lucy** — double red
- pulcherrima** — double flesh, red center
- purpurea semi plena** — semi double purple
- totus albus** — single white

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.70	.60	.50
5 to 6 ft.	1.00	.85	.75

HYDRANGEA

- arborescens grandiflora.** 6 ft. (Hills of Snow) Medium to silty clay loam, moist, PH 6.5-8.0, sun-slight shade.

12 to 18 in.	.35	.32	.30
18 to 24 in.	.45	.40	.35

- paniculata grandiflora.** 7 ft. (Peegee Hydrangea) Medium to silty clay loam, moist, PH 6.0-7.5, sun.

12 to 18 in.	.35	.30	.25
18 to 24 in.	.40	.35	.30
2 to 3 ft.	.45	.40	

- quercifolia.** 4 ft. (Oakleaf Hydrangea) Medium loam, moist, PH 6.0-7.5, sun.

18 to 24 in.	1.00	.75	
2 to 3 ft.	1.25	1.00	

HYPERICUM

- aureum.** 4 ft. (Golden St. Johnswort) Sandy to medium loam, moist well drained, PH 6.5-8.0, sun-slight shade.

18 to 24 in.	.40	.35	
2 to 2½ ft.	.45	.40	

- densiflorum.** 4 ft. (St. Johnswort) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade.

18 to 24 in.	.40	.35	.30
2 to 2½ ft.	.45	.40	.35
2½ to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50

- moserianum.** 2 ft. (Goldflower) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade.

15 to 18 in.	.40	.35	
18 to 24 in.	.45	.40	

Each	Each	Each
1-4	5-24	25-up

HYPERICUM — Continued

—**prolificum**. 5 ft. (Shrubby St. Johnswort) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade.

18	to 24	in.	.40	.35	.30
2	to 2½	ft.	.45	.40	.35
2½	to 3	ft.	.50	.45	.40
3	to 4	ft.	.60	.55	.50

ILEX

—**crenata**. 10 ft. (Japanese Holly) Medium loam, moist well drained, PH 5.5-7.0, sun-part shade.

15	to 18	in. B&B	2.00	1.75	
18	to 24	in. B&B	2.50	2.25	
2	to 3	ft. B&B	4.00	3.50	
3	to 4	ft. B&B	6.50	6.00	
4	to 5	ft. B&B	8.00	7.50	

—**crenata convexa syn. bullata**. 10 ft. Medium loam, moist, well drained, PH 5.5-7.0, sun-part shade.

15	to 18	in. B&B	2.25	2.00	
18	to 24	in. B&B	3.00	2.50	

—**glabra**. 5 ft. (Ink Berry) Medium loam, moist, PH 4.5-6.0, sun or shade.

12	to 15	in. B&B	1.50	1.35	1.25
15	to 18	in. B&B	2.00	1.75	1.50
18	to 24	in. B&B	2.50	2.25	2.00
2	to 2½	ft. B&B	3.00	2.75	2.50
2½	to 3	ft. B&B	3.50	3.25	3.00
3	to 3½	ft. B&B	4.50	4.25	4.00
3½	to 4	ft. B&B	6.00	5.50	5.00

—**opaca**. 20 ft. (American Holly) Sandy to silty clay, moist, well drained, PH 5.0-7.0, sun-part shade.

18	to 24	in. B&B	3.00	2.75	2.50
2	to 3	ft. B&B	4.00	3.75	3.50
3	to 4	ft. B&B	5.50	5.00	
4	to 5	ft. B&B	6.50	6.00	
5	to 6	ft. B&B	8.00	7.00	
6	to 8	ft. B&B	12.00	10.00	

—**verticillata**. 6 ft. (Winterberry) Light to medium loam, moist, well drained, PH 5.0-6.0, sun or part shade.

2	to 3	ft.	.50	.45	.40
3	to 4	ft.	.60	.55	.50
4	to 5	ft.	.90	.80	.75
5	to 6	ft.	1.25	1.15	1.00
6	to 8	ft.	1.50	1.35	1.25

JUGLANS

—**cinerea**. 75 ft. (Butternut) Medium loam, moist, PH 6.0-7.5, sun.

8	to 10	ft.	4.00	3.50	
---	-------	-----	------	------	--

—**nigra**. 80 ft. (Black Walnut) Medium loam, moist, PH 6.0-7.5, sun.

1½	to 2	in.	4.50	4.00	
2	to 2½	in.	5.50	5.00	
2½	to 3	in.	6.50	6.00	

—**sieboldiana**. 50 ft. (Japanese Walnut) Medium loam, moist, PH 6.0-7.5, sun.

6	to 8	ft.	2.25	2.00	
8	to 10	ft.	2.75	2.50	

JUNIPERUS

	Each 1-4	Each 5-24	Each 25-up
—chinensis. 20 ft. (Chinese Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.			
3 to 4 ft. B&B.....	3.50	3.00	
4 to 5 ft. B&B.....	4.50	4.00	
5 to 6 ft. B&B.....	5.50	5.00	
—chinensis columnaris glauca. 20 ft. (Blue Chinese Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2 to 2½ ft. B&B.....	2.25	2.00	1.75
2½ to 3 ft. B&B.....	3.25	3.00	2.75
3 to 4 ft. B&B.....	4.25	4.00	3.75
4 to 5 ft. B&B.....	4.75	4.50	
—chinensis mascula. 12 ft. Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2½ to 3 ft. B&B.....	3.25	3.00	2.75
3 to 4 ft. B&B.....	4.25	4.00	
4 to 5 ft. B&B.....	4.75	4.50	
6 to 7 ft. B&B.....	10.00	9.00	
7 to 8 ft. B&B.....	12.00	10.00	
8 to 9 ft. B&B.....	15.00	12.00	
—chinensis oblonga. 8 ft. Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.			
18 to 24 in. B&B.....	2.50	2.25	2.00
2 to 3 ft. B&B.....	3.25	3.00	
3 to 4 ft. B&B.....	4.25	4.00	
—chinensis pfitzeriana. 6 ft. (Pfitzer Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. spreading B&B...	1.40	1.30	1.15
15 to 18 in. spreading B&B...	1.60	1.50	1.40
18 to 24 in. spreading B&B...	2.00	1.80	1.65
24 to 30 in. spreading B&B...	2.75	2.50	2.25
30 to 36 in. spreading B&B...	3.50	3.25	3.00
3 to 4 ft. spreading B&B...	4.75	4.50	4.25
4 to 4½ ft. B&B.....	6.00	5.50	
—pfitzeriana Kallay's Compacta. Same as above			
12 to 15 in. B&B.....	1.40	1.30	1.15
15 to 18 in. B&B.....	1.60	1.50	1.40
18 to 24 in. B&B.....	2.00	1.80	1.65
24 to 30 in. B&B.....	2.75	2.50	2.25
30 to 36 in. B&B.....	3.50	3.25	3.00
—chinensis pyramidalis. 12 ft. (Green Chinese Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.			
4 to 5 ft. B&B.....	4.75	4.50	
5 to 6 ft. B&B.....	7.50	7.00	
6 to 7 ft. B&B.....	10.00	9.00	
—chinensis sargentii. 1½ ft. (Sargent Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.			
15 to 18 in. B&B.....	2.50	2.00	
18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.25	3.00

JUNIPERUS — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**communis depressa.** 2 ft. (Prostrate Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

30 to 36 in. B&B.....	3.50	3.00
3 to 4 ft. B&B.....	4.50	4.00

—**communis depressa aurea.** 2 ft. (Golden Prostrate Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B.....	1.50	1.25
15 to 18 in. B&B.....	2.00	1.75
18 to 24 in. &BB.....	2.50	2.25

—**communis depressa plumosa.** 2 ft. (Andorra Juniper) Medium to silty clay loam, moist, well drained PH 5.5-7.0, sun.

12 to 15 in. B&B.....	1.40	1.30	1.15
15 to 18 in. B&B.....	1.60	1.50	1.40
18 to 24 in. B&B.....	2.00	1.80	1.65
24 to 30 in. B&B.....	2.75	2.50	2.25
30 to 36 in. B&B.....	3.50	3.25	3.00

—**communis hibernica.** 15 in. (Irish Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

18 to 24 in. B&B.....	1.30	1.20	1.10
24 to 30 in. B&B.....	1.60	1.50	1.35
30 to 36 in. B&B.....	2.25	2.00	1.75
3 to 4 ft. B&B.....	2.75	2.50	2.25

—**excelsa stricta.** 12 ft. (Spiney Greek Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B.....	1.50	1.35	1.25
15 to 18 in. B&B.....	2.00	1.75	1.50
18 to 24 in. B&B.....	2.25	2.00	1.75
24 to 30 in. B&B.....	3.00	2.50	

—**horizontalis.** 1 ft. (Creeping Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or slight shade.

12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	1.50	1.35	1.25
18 to 24 in. B&B.....	2.00	1.75	1.50
24 to 30 in. B&B.....	2.50	2.25	2.00
30 to 36 in. B&B.....	3.00	2.75	2.50

—**horizontalis douglasi.** 1 ft. (Creeping Savin) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or part shade.

12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	1.50	1.35	1.25
18 to 24 in. B&B.....	2.00	1.75	1.50
24 to 30 in. B&B.....	2.50	2.25	2.00
30 to 36 in. B&B.....	3.00	2.75	2.50

JUNIPERUS — Continued

	Each 1-4	Each 5-24	Each 25-up
—horizontalis glauca. 1 ft. (Blue Creeping Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or part shade.			
12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	1.50	1.35	1.25
18 to 24 in. B&B.....	2.00	1.75	1.50
24 to 30 in. B&B.....	2.50	2.25	2.00
30 to 36 in. B&B.....	3.00	2.75	2.50
—japonica syn. procumbens. 3 ft. (Japanese Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. B&B.....	1.25	1.15	
15 to 18 in. B&B.....	1.50	1.35	
18 to 24 in. B&B.....	2.00	1.75	
24 to 30 in. B&B.....	2.50	2.25	
30 to 36 in. B&B.....	3.00	2.75	
—sabina. 5 ft. (Savin Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	1.50	1.35	1.25
18 to 24 in. B&B.....	1.75	1.65	1.50
24 to 30 in. B&B.....	2.50	2.25	2.00
30 to 36 in. B&B.....	3.25	3.00	2.75
—sabina tamariscifolia. 1½ ft. (Tamarix Savin) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.			
15 to 18 in. B&B.....	1.50	1.35	
18 to 24 in. B&B.....	2.00	1.75	
24 to 30 in. B&B.....	2.50	2.25	
—scopularum Chandlers Blue. 25 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2 to 2½ ft. B&B.....	2.25	2.00	1.75
2½ to 3 ft. B&B.....	3.25	3.00	2.75
3 to 4 ft. B&B.....	4.25	4.00	3.75
—scopularum hill's silver. 20 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2 to 2½ ft. B&B.....	2.25	2.00	1.75
2½ to 3 ft. B&B.....	3.25	3.00	2.75
3 to 4 ft. B&B.....	4.25	4.00	3.75
4 to 5 ft. B&B.....	4.75	4.50	
—squamata meyeri. 4 ft. (Meyer's Juniper) Medium loam to silty clay, moist, well drained, PH 5.5- 7.0, sun.			
12 to 15 in. B&B.....	1.50	1.35	1.25
15 to 18 in. B&B.....	2.00	1.75	1.50
18 to 24 in. B&B.....	2.50	2.25	2.00
24 to 30 in. B&B.....	3.00	2.75	2.50
30 to 36 in. B&B.....	3.25	3.00	
—virginiana. 25 ft. (Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2½ to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.75	3.50
4 to 5 ft. B&B.....	4.50	4.25	
5 to 6 ft. B&B.....	7.00	6.50	

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

JUNIPERUS — Continued

—**vir. burki, syn. virg. venusta.** 15 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2½ to 3 ft. B&B	3.25	3.00	2.75
3 to 4 ft. B&B	4.25	4.00	3.75
4 to 5 ft. B&B	4.75	4.50	4.25
5 to 6 ft. B&B	7.50	7.00	

—**virg. cannarti.** 18 ft. (Cannart Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B	2.25	2.00	1.75
2½ to 3 ft. B&B	3.25	3.00	2.75
3 to 4 ft. B&B	4.25	4.00	3.75
4 to 5 ft. B&B	4.75	4.50	4.25
5 to 6 ft. B&B	7.50	7.00	6.50
6 to 7 ft. B&B	9.00	8.00	
7 to 8 ft. B&B	12.00	10.00	

—**virg. cannarti Kallay's type.** 20 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B	2.25	2.00	1.75
2½ to 3 ft. B&B	3.25	3.00	2.75
3 to 4 ft. B&B	4.25	4.00	3.75
4 to 5 ft. B&B	4.75	4.50	4.25
5 to 6 ft. B&B	7.50	7.00	

—**virg. elegantissima lee.** 5 ft. (Goldtip Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B	2.25	2.00
2½ to 3 ft. B&B	3.25	3.00
3 to 4 ft. B&B	4.25	4.00
6 to 7 ft. B&B	9.00	8.00

—**virg. glauca.** 20 ft. (Blue Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B	2.25	2.00	
2½ to 3 ft. B&B	3.25	3.00	2.75
3 to 4 ft. B&B	4.25	4.00	3.75
4 to 5 ft. B&B	4.75	4.50	
5 to 6 ft. B&B	7.50	7.00	
6 to 7 ft. B&B	9.00	8.00	

—**virg. glauca Kallay's blue.** 20 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

5 to 6 ft. B&B	7.50	7.00
6 to 7 ft. B&B	9.00	8.00
7 to 8 ft. B&B	12.00	10.00

—**virg. globosa.** 4 ft. (Globe Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B	3.50	3.00
2½ to 3 ft. B&B	4.50	4.00

JUNIPERUS — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**virg. keteleeri.** 15 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2	to 2½ ft. B&B	2.25	2.00	1.75
2½	to 3 ft. B&B	3.25	3.00	2.75
3	to 4 ft. B&B	4.25	4.00	3.75
4	to 5 ft. B&B	4.75	4.50	
5	to 6 ft. B&B	7.50	7.00	
6	to 7 ft. B&B	9.00	8.00	
7	to 8 ft. B&B	12.00	10.00	
8	to 9 ft. B&B	15.00	13.00	
9	to 10 ft. B&B	17.50	15.00	
10	to 12 ft. B&B	22.50	20.00	

—**pendula.** 15 ft. (Weeping Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

6	to 7 ft. B&B	9.00	8.00	
7	to 8 ft. B&B	12.00	10.00	

—**pyramidaformia.** 20 ft. (Hill's Pyramid Juniper) Medium loam to silty clay, moist, well drained PH 5.5-7.0, sun.

2	to 2½ ft. B&B	2.25	2.00	1.75
2½	to 3 ft. B&B	3.25	3.00	2.75
3	to 4 ft. B&B	4.25	4.00	3.75
4	to 5 ft. B&B	4.75	4.50	4.25

—**virg. schottii.** 18 ft. (Schott's Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2	to 2½ ft. B&B	2.25	2.00	1.75
2½	to 3 ft. B&B	3.25	3.00	2.75
3	to 4 ft. B&B	4.25	4.00	3.75
4	to 5 ft. B&B	4.75	4.50	
5	to 6 ft. B&B	7.50	7.00	

KALMIA

—**latifolia.** 6 ft. (Mountain Laurel) Woodsy or peaty loam, moist, well drained, PH 4.5-6.0, sun-shade, shade in hot climate.

24	to 30 in. B&B	3.50	3.00	
30	to 36 in. B&B	4.00	3.50	
3	to 4 ft. B&B	5.00	4.75	4.50
4	to 5 ft. B&B	7.00	6.00	

KOELREUTERA

—**paniculata.** 25 ft. (Goldenrain Tree) Rich, medium loam, moist, PH 6.0-7.5, sun.

4	to 5 ft.	1.50	1.25	
5	to 6 ft.	1.75	1.50	
6	to 8 ft.	2.25	2.00	

KOLKWITZIA

—**amabilis.** 6 ft. (Beautybush) Sandy to silty clay, moist, PH 6.0-7.5, sun or slight shade.

18	to 24 in.	.40	.35	.30
2	to 3 ft.	.50	.45	.40
3	to 4 ft.	.60	.55	.50
4	to 5 ft.	.85	.80	.75

LARIX

- europaea**. 60 ft. (European Larch) Sandy to medium loam, moist, well drained, PH 5.0-6.5, sun.
5 to 6 ft. B&B..... 6.50 6.00

LEUCOTHOE

- catesbaei**. 6 ft. (Drooping Leucothoe) Woodsy or peaty loam, moist, well drained, PH 4.5-6.0, shady location.
15 to 18 in. B&B..... 2.25 2.00
18 to 24 in. B&B..... 3.00 2.50

LIGUSTRUM

- | | Each
1-24 | Each
25-249 | Each
250-up |
|-------------------------------------------------------------------------------------------------------------------------|--------------|----------------|----------------|
| — amurense . 12 ft. (Amur Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade. | | | |
| 12 to 18 in..... | .12 | .10 | |
| 18 to 24 in, 3 canes and up.... | .15 | .13 | |
| — ibolium . 10 ft. (Hardy California Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade. | | | |
| 18 to 24 in..... | .15 | .13 | |
| 2 to 3 ft..... | .17 | .15 | |
| 3 to 4 ft..... | .22 | .20 | |
| 5 to 6 ft..... | .50 | .45 | |
| — ibota . 8 ft. (Chinese Privet) Sandy loam to silty clay moist, PH 6.0-7.5, sun-shade. | | | |
| 2 to 3 ft..... | .22 | .20 | .18 |
| 3 to 4 ft..... | .30 | .27 | .25 |
| 4 to 5 ft..... | .40 | .35 | .30 |
| 5 to 6 ft..... | .60 | .50 | .40 |
| — ibota regelianum . 6 ft. (Regal Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade. | | | |
| 12 to 18 in..... | .30 | .25 | .20 |
| 18 to 24 in..... | .35 | .30 | .25 |
| 24 to 30 in..... | .40 | .35 | .30 |
| 30 to 36 in..... | .50 | .45 | .40 |
| 3 to 4 ft..... | .80 | .70 | .60 |
| — ovalifolium . 10 ft. (California Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade. | | | |
| 12 to 18 in., 2 canes and up.... | .10 | .08 | .06 |
| 18 to 24 in., 3 canes and up.... | .12 | .09 | .08 |
| 2 to 3 ft., 4 canes and up.... | .14 | .12 | |
| — ovalifolium variegatum . 10 ft. (Golden Calif. Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade. | | | |
| 12 to 18 in..... | .25 | .22 | .20 |
| 18 to 24 in..... | .30 | .27½ | .25 |
| — vulgare . 10 ft. (English Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade. | | | |
| 2 to 3 ft..... | .30 | .25 | |
| 4 to 5 ft..... | .45 | .40 | |
| 5 to 6 ft..... | .60 | .50 | |

LIRIODENDRON

Each	Each	Each
1-4	5-24	25-up

—**tulipifera.** 60 ft. (Tulip Tree) Rich, medium loam, moist, well drained, PH 6.0-7.0, sun or part shade.

6	to 8	ft.	1.75	1.50
8	to 10	ft.	2.00	1.75
1¾	to 2	in.	4.50	4.00
2	to 2½	in.	5.50	5.00
2½	to 3	in.	9.00	8.00
3	to 3½	in.	15.00	12.00
3½	to 4	in.	16.00	15.00

LIQUIDAMBER

—**styraciflua.** 50 ft. (Sweet Gum) Rich, medium loam, moist, PH 5.5-7.0, sun.

6	to 8	ft.	2.50	2.25	2.00
8	to 10	ft.	3.00	2.75	2.50
1½	to 2	in.	5.50	4.50	4.00
2	to 2½	in.	6.00	5.50	
2½	to 3	in.	8.00	7.00	
3	to 3½	in.	15.00	12.00	
3½	to 4	in.	16.00	14.00	
4	to 5	in.	22.50	20.00	
5	to 7	in., price on request.			

LONICERA

—**bella albida.** 8 ft. (White Bell Honeysuckle) Sandy loam to silty clay, moist, PH 6.5-8.0, sun-shade.

2	to 3	ft.	.40	.35	.30
3	to 4	ft.	.45	.40	.35
4	to 5	ft.	.60	.55	.50
5	to 6	ft.	.70	.65	.60

—**bella rosea.** 8 ft. (Pink Bell Honeysuckle) Sandy loam to silty clay, moist, PH 5.5-8.0, sun-shade.

2	to 3	ft.	.40	.35	.30
3	to 4	ft.	.45	.40	.35
4	to 5	ft.	.60	.55	.50
5	to 6	ft.	.70	.65	.60

—**fragrantissima.** 8 ft. (Winter Honeysuckle) Medium loam to silty clay, moist, well drained, PH 6.0-7.5, sun-med. shade.

2	to 3	ft.	.40	.35	.30
3	to 4	ft.	.45	.40	.35
4	to 5	ft.	.60	.55	.50
5	to 6	ft.	.70	.65	.60
6	to 8	ft.	1.00	.90	.75

—**halliana.** 15 ft. (Hall's Japan Honeysuckle) Sandy loam to silty clay, dry- moist, PH 6.0-8.0, sun or part shade.

2 year No. 1	\$140 per M.	.20	.18	.16
--------------	--------------	-----	-----	-----

—**korolkowi floribunda.** 10 ft. (Blueleaf Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.

2	to 3	ft.	.60	.50
---	------	-----	-----	-----

LONICERA — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**maacki.** 10 ft. (Amur Honeysuckle) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-part shade.

4 to 5 ft.....	.70	.60	
5 to 6 ft.....	.80	.70	
6 to 8 ft.....	1.00	.90	

—**morrowi.** 8 ft. (Morrow Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60

—**morrowi yellow fruited.** 8 ft. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60

—**ruprechtiana.** 10 ft. (Manchurian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.

4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
6 to 8 ft.....	1.00	.90	.75

—**sempervirens.** 15 ft. (Scarlet Trumpet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.

2 year No. 1.....	.40	.35	.30
3 year No. 1.....	.50	.45	.40

—**standishi.** 5 ft. Medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.50	.45	.40

—**syringantha.** 4 ft. (Lilac Honeysuckle) Medium loam to silty clay, moist, PH 6.0-7.5, sun.

18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.80	.70	

—**tatarica abla.** 10 ft. (White Tatarian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60

—**tatarica rosea grandiflora.** 10 ft. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60

	Each 1-4	Each 5-24	Each 25-up
LONICERA — Continued			
— <i>tatarica sibirica</i> . 10 ft. (Red Tatarian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
— <i>xylostemum</i> . 6 ft. (Fly Honesuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.			
18 to 24 in.	.30	.25	
2 to 3 ft.	.40	.35	
— <i>zabeli</i> . 10 ft. (New Red) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50

LYCIUM

— <i>Chinese</i> . 10 ft. (Chinese Matrimony Vine) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.	.35	.30	.25
3 to 4 ft.	.40	.35	.30

MAGNOLIA

— <i>acuminata</i> . 70 ft. (Cucumber Tree) Rich, medium loam, moist, well drained, PH 5.0-7.5, sun.			
3 to 4 ft. B&B	3.00	2.50	
4 to 5 ft. B&B	3.50	3.00	
5 to 6 ft. B&B	5.00	4.50	
6 to 8 ft. B&B	7.50	7.00	
8 to 10 ft. B&B	12.00	10.00	
— <i>glauca</i> . 20 ft. (Sweet Bay) Rich, medium loam, moist, PH 5.0-6.5, sun-part shade.			
5 to 6 ft. B&B	5.50	5.00	
6 to 8 ft. B&B	9.00	8.00	
8 to 10 ft. B&B	12.00	10.00	
10 to 12 ft. B&B	15.00	12.50	
— <i>lennei</i> . 18 ft. (Lenne Magnolia) Rich, medium loam moist, well drained, PH 5.5-7.0, sun-shade..			
4 to 5 ft. B&B	10.00		
5 to 6 ft. B&B	12.00		
6 to 8 ft. B&B	17.50		
6 to 8 ft. B&B Spec.	25.00		
— <i>soulangeana</i> . 18 ft. (Saucer Magnolia) Rich, medium loam, moist, well drained, PH 5.5-7.0, sun-part shade.			
5 to 6 ft. B&B	12.00	10.00	
6 to 8 ft. B&B	17.50	15.00	
6 to 8 ft. B&B Spec.	30.00	25.00	
8 to 10 ft. B&B Spec.	35.00	30.00	
— <i>soulangeana</i> . Tree Form 20 ft. Same as above.			
5 to 6 ft. B&B	12.00	10.00	
6 to 8 ft. B&B	17.50	15.00	
8 to 10 ft. B&B	25.00	20.00	
10 to 12 ft. B&B	30.00	25.00	

MAGNOLIA — Continued

Each 1-4 Each 5-24 Each 25-up

—**soulangeana nigra.** 18 ft. (Dark Red) Rich medium loam, moist, well drained, PH 5.5-7.0, sun-partial shade.

4 to 5 ft. B&B.....	10.00	8.00
5 to 6 ft. B&B.....	12.00	10.00
6 to 8 ft. B&B Spec.....	30.00	

—**stellata.** 8 ft. (Star Magnolia) Rich, medium loam, moist, well drained, PH 5.5-7.0, sun-partial shade.

3 to 4 ft. B&B.....	7.00	6.00
4 to 5 ft. B&B.....	10.00	8.00
5 to 6 ft. B&B.....	12.00	10.00
6 to 8 ft. B&B.....	20.00	15.00
6 to 8 ft. B&B Spec.....	25.00	

—**tripetala.** 30 ft. (Umbrella Magnolia) Rich, medium loam, moist, PH 5.0-6.5, sun-partial shade.

5 to 6 ft. B&B.....	5.50	5.00
6 to 8 ft. B&B.....	7.50	7.00

MALUS

—**arnoldiana.** 10 ft. (Arnold Crab) Semi-double pink flowers, small yellow fruit. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

4 to 5 ft.....	1.50	1.25
5 to 6 ft.....	1.75	1.50
6 to 8 ft.....	2.25	2.00

—**coronaria.** 15 (Wild Sweet Crab) Clustered rose-pink flowers, yellowish fruits. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

5 to 6 ft.....	1.75	1.50
6 to 8 ft.....	2.25	2.00
8 to 10 ft.....	3.00	2.50

—**floribunda.** 18 ft. (Japanese Flowering Crab) Rose-red flowers, small red fruit. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

4 to 5 ft.....	1.50	1.25
5 to 6 ft.....	1.75	1.50
6 to 8 ft.....	2.25	2.00
8 to 10 ft.....	3.00	2.50

—**floribunda atrosanguinea.** 20 ft. (Carmine Crab) Late flowering, buds and flowers deep red, small, yellow fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

4 to 5 ft.....	1.50	1.25
5 to 6 ft.....	1.75	1.50
6 to 8 ft.....	2.25	2.00

—**floribunda lemoini.** 15 ft. Deep pink flowers, yellow fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade

4 to 5 ft.....	1.50	1.25
5 to 6 ft.....	1.75	1.50

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

MALUS—Continued

—**hopa.** 12 ft. (Red Flowering Crab) Rosy-crimson flowers, round, red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

4 to 5 ft.	1.50	1.25
5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.25	2.00

—**halliana parkmannii.** (Parkman's Crab). Semi-double rose-pink flowers, sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

4 to 5 ft.	2.00	1.75
5 to 6 ft.	2.50	2.25

—**ioensis.** 20 ft. (Prairie Crab) Single pink flowers, greenish-fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

6 to 8 ft.	2.25	2.00
8 to 10 ft.	3.50	3.00

—**ioensis plena.** 12 ft. (Bechtel's Crab). Double pink flowers, very showy, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

4 to 5 ft.	1.50	1.35	1.25
5 to 6 ft.	2.00	1.75	1.50
6 to 8 ft.	2.50	2.25	2.00
8 to 10 ft.	3.50	3.00	

—**niedzwetzkyana.** 12 ft. (Redvein Crab). Purplish leaves, deep pink flowers, purple fruit, sandy loam to silty clay, moist PH 6.0-7.5 sun-partial shade.

5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.25	2.00
8 to 10 ft.	3.00	2.50

—**purpurea.** 20 ft. (Purple Crab). Purple leaves, red flowers, dark red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

4 to 5 ft.	1.50	1.25
5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.25	2.00
8 to 10 ft.	3.00	2.50

—**purpurea eleyi.** 20 ft. (Eley Crab). Deep red flowers, large, edible red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

4 to 5 ft.	1.50	1.25
5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.25	2.00
8 to 10 ft.	3.00	2.50

—**sargentii.** 8 ft. (Sargent Crab) Sharptoothed leaves, white flowers, dark red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

3 to 4 ft.	1.25	1.15
4 to 5 ft.	1.75	1.50
5 to 6 ft.	2.00	1.75

MALUS—Continued

	Each 1-4	Each 5-24	Each 25-up
—scheideckeri. 20 ft. (Scheidecker Crab). Double pink flowers, orange fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.25	2.00	
—seiboldi. 15 ft. (Toringo Crab). Blush pink flowers, yellowish red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
4 to 5 ft.....	1.50	1.25	
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.25	2.00	
—spectabilis. 15 ft. (Chinese Crab). Coral-rose flowers, small, yellow fruit, medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
4 to 5 ft.....	1.50	1.25	
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.25	2.00	
8 to 10 ft.....	3.00	2.50	
—theifera. 18 ft. (Tea Crab). Flowers white, tinted pale pink. One of the best of the flowering crabs in cultivation, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
4 to 5 ft.....	1.50	1.35	1.25
5 to 6 ft.....	2.25	2.00	1.75
6 to 8 ft.....	3.00	2.75	2.50
8 to 10 ft.....	3.50	3.00	

MAHONIA

—acquifolium. 5 ft. (Oregon Hollygrape). Sandy to medium loam, dry-moist, PH 6.0-7.5, partial shade.			
12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	1.50	1.35	1.25
18 to 24 in. B&B.....	2.00	1.75	

MORUS

—alba pendula. 10 ft. (Tea's Weeping Mulberry). Loam to clay, moist, PH 6.0-7.5, sun.			
6 ft. 3 year ead.....	2.50		
—new American. 40 ft., large fruiting, grafted, sandy loam to clay, moist, PH 6.0-7.5, sun			
5 to 6 ft.....	2.00	1.50	
6 to 8 ft.....	2.50	2.00	

MYRICA

—carolinensis. 5 ft. (Northern Bayberry) sandy to medium loam, well drained dry-moist, PH 5.0-6.5, sun-part shade.			
15 to 18 in.....	.60	.50	
18 to 24 in.....	.70	.60	
—cerifera. 5 ft. (Southern Waxmyrtle), sandy to medium loam, well drained dry-moist, PH 5.5-7.0, sun-part shade.			
15 to 18 in.....	.60	.50	
18 to 24 in.....	.70	.60	

NYSSA

	Each 1-4	Each 5-24	Each 25-up
— <i>sylvatica</i> . 40 ft. (Tupelo), rich, medium loam, moist, PH 5.5-6.5, sun-partial shade			
8 to 10 ft.....	7.00	6.50	
10 to 12 ft.....	12.00	10.00	

OXYDENDRON

	Each 1-4	Each 5-24	Each 25-up
— <i>arboreum</i> . 30 ft. (Sourwood), high organic content loam, moist, well drained, PH 5.5-6.5, sun- partial shade			
2 to 3 ft.....	.80	.70	.60
3 to 4 ft.....	1.25	1.00	
4 to 5 ft.....	2.00	1.75	1.50
5 to 6 ft.....	2.50	2.25	2.00
6 to 8 ft.....	3.50	3.25	3.00
8 to 10 ft.....	6.00	5.00	

PACHYCANDRA

	Each 1-4	Each 5-24	Each 25-up
— <i>terminalis</i> . 1 ft. (Japanese Spurge), medium to silty clay, moist, PH 5.0-7.0, partial shade to shade			
2 year from pots, Per M \$100	.16	.14	.12

PHILADELPHUS

	Each 1-4	Each 5-24	Each 25-up
— <i>avalanche</i> . 6 ft., sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
— <i>banniere</i> . 8 ft., sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
— <i>coronarius</i> . 9 ft. (Sweet Scented Mockorange) sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
6 to 8 ft.....	1.00	.90	.75
— <i>coronarius aureus</i> . 5 ft. (Golden Mockorange), sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade			
12 to 15 in.....	.35	.30	.25
15 to 18 in.....	.45	.40	.35
— <i>gordonianus</i> . 10 ft. (Gordon Mockorange), sandy			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
— <i>grandiflorus</i> . 12 ft. (Big Scented Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun- slight shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
6 to 8 ft.....	1.00	.90	.75

PHILADELPHUS — Continued

	Each 1-4	Each 5-24	Each 25-up
—lemoinei erectus. 5 ft. (Lemoine Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-partial shade.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.55	.50
—mt. blanc. 10 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
—nivalis. 7 ft. (Snowbank Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-partial shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
—pyramidale. 6 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
—virginal. 8 ft. (Double White) Sandy loam to silty clay, moist, PH 6.0-7.0, sun.			
18 to 24 in.....	.45	.40	.35
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.60	.50	

PHILLODENDRON

—amurense. 50 ft. (Amour cork tree) Sandy loam to clay, dry-moist, PH 6.0-7.5, sun.			
4 to 5 ft.....	1.00	.75	
5 to 6 ft.....	1.25	1.00	
6 to 8 ft.....	1.50	1.25	

PHOTINA

—villosa. 12 ft. (Christmasberry) Rich, medium loam, moist, PH 6.0-7.5, sun-partial shade.			
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	1.00	.90	.80
—laevis. 15 ft. Rich, medium loam, moist, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50

PHYSOCARPUS

—monogynus. 5 ft. (Dwarf Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
—opulifolia. 10 ft. (Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-med. shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50

	Each 1-4	Each 5-24	Each 25-up
PHYSOCARPUS —Continued			
— opulifolius luteus . 10 ft. (Goldleaf Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
— opulifolius nanus . 5 ft. Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
PICEA			
— canadensis . 50 ft. (White Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.			
18 to 24 in. B&B.....	2.25	2.00	1.75
2 to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.75	3.50
— canadensis albertiana . 60 ft. (Black Hills Spruce) Medium loam, PH 5.0-6.5, sun-slight shade.			
18 to 24 in. B&B.....	2.25	2.00	1.75
2 to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.75	3.50
— excelsa . 75 ft. (Norway Spruce) Medium loam, moist PH 5.0-6.5, sun-slight shade.			
18 to 24 in. B&B.....	1.50	1.35	1.25
2 to 3 ft. B&B.....	2.50	2.25	2.00
3 to 4 ft. B&B.....	3.05	3.25	3.00
4 to 5 ft. B&B.....	4.00	3.75	3.50
5 to 6 ft. B&B.....	5.00	4.50	
— glauca conica . 6 ft. (Dwarf Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.			
18 to 24 in. B&B.....	4.00	3.50	
2 to 3 ft. B&B.....	5.00	4.50	
— polita . 75 ft. (Tigertail Spruce) Medium loam, moist PH 5.0-6.5, sun-slight shade.			
18 to 24 in. B&B.....	3.00	2.50	
2 to 3 ft. B&B.....	4.00	3.50	
— pungens . 60 ft. (Colorado Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.			
18 to 24 in. B&B.....	2.25	2.00	
2 to 3 ft. B&B.....	3.50	3.00	
3 to 4 ft. B&B.....	4.50	4.00	
— pungens glauca . 60 ft. (Colorado Blue Spruce) Medium loam, moist, PH 5.0-6.5, sun.			
18 to 24 in. B&B.....	3.00	2.50	
2 to 3 ft. B&B.....	4.50	4.00	
— pungens kosteri . 60 ft. (Kosters Blue Spruce) Medium loam, moist, PH 5.0-6.5, sun.			
7 to 8 ft. specimen B&B....	30.00	25.00	
8 to 9 ft. specimen B&B....	35.00	30.00	
9 to 10 ft. specimen B&B....	40.00	35.00	
10 to 11 ft. specimen B&B....	45.00	40.00	
11 to 12 ft. specimen B&B....	50.00	45.00	
— pungens moerheimi . 40 ft. (Moerheimi Blue Spruce) medium loam, moist, PH 5.0-6.5, sun.			
7 to 8 ft. B&B Spec.....	32.50	27.50	
8 to 9 ft. B&B Spec.....	37.50	32.50	

	Each 1-4	Each 5-24	Each 25-up
PICEA pungens moerheimi — Continued			
9 to 10 ft. B&B Spec.....	42.50	37.50	
10 to 11 ft. B&B Spec.....	47.50	45.00	
11 to 12 ft. B&B Spec.....	52.50	47.50	
12 to 14 ft. B&B Spec.....	65.00	60.00	

PIERIS

— floribunda. 3 ft. (Mountain Andromeda) Woodsy peaty loam, moist, well drained, PH 5.0-6.0, partial shade.			
15 to 18 in. B&B.....	3.50	3.00	
— japonica. 4 ft. (Japanese Andromeda) Woodsy or peaty loam, moist, well drained, PH 5.0-6.0, partial shade.			
15 to 18 in. B&B.....	4.00	3.50	
18 to 24 in. B&B.....	4.50	4.00	
— mariana. 5 ft. (Staggerbush) Woodsy or peaty loam, moist, well drained, PH 5.0-6.0, sun-partial shade.			
15 to 18 in. B&B.....	2.00	1.75	1.50
18 to 24 in. B&B.....	2.50	2.25	2.00
24 to 30 in. B&B.....	3.00	2.75	2.50
30 to 36 in. B&B.....	3.50	3.00	

PINUS

— banksiana. 60 ft. (Jack Pine) Sand to silty clay loam, dry- moist, PH 4.5-5.5, sun.			
3 to 4 ft.....	3.50	3.00	
— densiflora. 60 ft. (Japanese Red Pine) Sandy loam to silty clay, dry-moist, PH 5.0-6.5, sun.			
2 to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	3.50	3.25	3.00
4 to 5 ft. B&B.....	5.00	4.75	4.50
5 to 6 ft. B&B.....	6.50	6.25	6.00
— montana mughus. 4 ft. (Dwarf Mountain Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun-slight shade.			
9 to 12 in. B&B.....	1.50	1.35	1.25
12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.00	
30 to 36 in. B&B.....	4.50	4.00	
3 to 3½ ft. B&B.....	6.50	6.00	
3½ to 4 ft. B&B.....	7.50	7.00	
— nigra austriaca. 60 ft. (Austrian Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun.			
3 to 4 ft. B&B.....	5.00	4.50	4.00
4 to 5 ft. B&B.....	6.00	5.50	5.00
5 to 6 ft. B&B.....	8.00	7.50	
— resinosa. 50 ft. (Red Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun.			
2 to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	3.50	3.25	3.00
4 to 5 ft. B&B.....	5.00	4.75	4.50

PINUS — Continued

	Each 1-4	Each 5-24	Each 25-up
—sylvestris. 75 ft. (Scotch Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun-partial shade.			
2 to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	3.50	3.25	3.00
4 to 5 ft. B&B.....	5.00	4.75	4.50
5 to 6 ft. B&B.....	6.50	6.25	6.00
6 to 8 ft. B&B.....	12.00	11.00	10.00

PLATANUS

—occidentalis. 75 ft. (American Sycamore) Medium loam to silty clay, moist, PH 6.0-7.5, sun.			
6 to 8 ft.....	1.50	1.35	1.25
8 to 10 ft.....	2.25	2.00	1.75
1¼ to 1½ in.....	2.50	2.25	
1½ to 1¾ in.....	3.00	2.75	
1¾ to 2 in.....	4.00	3.75	
2 to 2½ in.....	5.00	4.50	
2½ to 3 in.....	7.00	6.50	
3 to 3½ in.....	10.00	9.00	

—orientalis. 70 ft. (European Sycamore) Medium loam to silty clay, moist-well drained, PH 6.0-7.5, sun.			
6 to 8 ft.....	1.50	1.35	1.25
8 to 10 ft.....	2.25	2.00	1.75
1¼ to 1½ in.....	2.75	2.50	2.25
1½ to 1¾ in.....	3.50	3.25	3.00
1¾ to 2 in.....	4.00	3.75	3.50
2 to 2½ in.....	6.00	5.50	4.00
2½ to 3 in.....	7.00	6.50	6.00
3 to 3½ in.....	10.00	9.00	8.00
3½ to 4 in.....	12.00	11.00	10.00
4 to 5 in.....	17.50	15.00	

POPULUS

—bolleana. 50 ft. (Silver Poplar) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.			
6 to 8 ft.....	1.25	1.15	1.00
2 to 2½ in.....	5.00	4.50	
2½ to 3 in.....	6.50	6.00	
3 to 3½ in.....	7.50	7.00	
3½ to 4 in.....	9.00	8.00	

—nigra italica. 75 ft. (Lombardy Poplar) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun			
6 to 8 ft.....	.80	.70	.60
8 to 10 ft.....	1.00	.85	.75
10 to 12 ft.....	1.25	1.15	1.00
1½ to 1¾ in.....	1.50	1.35	1.25
1¾ to 2 in.....	2.25	2.00	1.75
2 to 2½ in.....	3.00	2.75	2.50
2½ to 3 in.....	4.00	3.75	3.50

POPULUS — Continued

	Each 1-4	Each 5-24	Each 25-up
—simoni. 30 ft. (Simon Poplar) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun			
6 to 8 ft.....	1.25	1.15	1.00
6 to 10 ft.....	1.50	1.35	1.25
1 ½ to 1¾ in.....	2.00	1.75	

POTENTILLA

—fruticosa. 4 ft. (Shrubby Quinjuifoil) sandy to medium loam, moist, PH 6.0-7.5, sun			
15 to 18 in.....	.30	.25	
18 to 24 in.....	.35	.30	
—veitchi. 2 ft. sandy to medium loam, moist, PH 6.0-7.5, sun.			
15 to 18 in.....	.30	.25	
18 to 24 ft.....	.35	.30	

PRUNUS

—americana. 20 ft. (American Plum) Medium loam to silty clay, moist, PH 6.0-7.5, sun			
4 to 5 ft.....	.75	.65	
5 to 6 ft.....	.90	.75	
6 to 8 ft.....	1.25	1.00	
—besseyi. 7 ft. (Bessey Cherry) sandy to medium loam, dry-moist, PH 6.0-7.5, sun-part shade			
2 to 3 ft.....	.45	.40	
3 to 4 ft.....	.06	.50	
4 to 5 ft.....	.75	.60	
—cistina. 10 ft. (Hansen's Purpleleaved Plum) sandy loam to silty clay, moist, PH 6.0-7.5, sun			
3 to 4 ft.....	.75	.60	
4 to 5 ft.....	.90	.75	
5 to 6 ft.....	1.25	1.00	
6 to 8 ft.....	1.50	1.25	
—cerasifera pissardi. 12 ft. (Purpleleaved Plum) sandy loam to silty clay, moist, PH 6.0-7.5, sun			
3 to 4 ft.....	.75	.60	
4 to 5 ft.....	.90	.75	
5 to 6 ft.....	1.25	1.00	
6 to 8 ft.....	1.50	1.25	
8 to 10 ft.....	2.50	2.25	2.00
—glandulosa sinensis. 5 ft. (Double Pink Flowering Almond) sandy loam to silty clay, moist, PH 6.0-7.5, sun			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.50	.45	.40
—glandulosa albiplena. 5 ft. (Double White Flowering Almond) Own rot, sandy loam to silty clay, moist, PH 6.0-7.5, sun			
18 to 24 in.....	.35	.30	
2 to 3 ft.....	.45	.40	

PRUNUS—Continued

	Each 1-4	Each 5-24	Each 25-up
—maritima. 12 ft. (Beech Plum) sandy to sandy loam, dry-moist, PH 6.0-7.5, sun			
4 to 5 ft.	1.00	.90	
5 to 6 ft.	1.25	1.00	
—padus. 20 ft. (European Bird Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-slight shade			
5 to 6 ft.	1.25	1.00	
6 to 8 ft.	1.50	1.25	
—pennsylvanicum. 25 ft. (Pin Cherry) sandy to silty loam, moist, PH 5.5-7.0, sun-slight shade			
4 to 5 ft.	.60	.50	
5 to 6 ft.	1.00	.85	.75
6 to 8 ft.	1.25	1.15	1.00
8 to 10 ft.	1.75	1.50	1.25
10 to 12 ft.	2.50	2.25	2.00
—pumila. 5 ft. (Sand Cherry) sandy to sandy loam, dry-moist, PH 6.0-7.5, sun-part shade			
18 to 24 in.	.40	.35	
2 to 3 ft.	.60	.50	
3 to 4 ft.	.75	.60	
4 to 5 ft.	1.00	.85	.75
—serotina. 60 ft. (Black Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-partial shade			
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	1.00	.85	.75
6 to 8 ft.	1.25	1.15	1.00
8 to 10 ft.	1.75	1.50	1.25
—tomentosa. 10 ft. (Nanking Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-partial shade			
2 to 3 ft.	.50	.40	
3 to 4 ft.	.60	.50	
4 to 5 ft.	.70	.60	
—triloba plena. 10 ft. (Flowering Plum) medium loam, moist, PH 6.0-7.5, sun			
2 to 3 ft.	.60	.50	
—virginiana. 30 ft. (Common Chokecherry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade			
3 to 4 ft.	.50	.40	
4 to 5 ft.	.60	.50	
5 to 6 ft.	1.00	.85	.75
6 to 8 ft.	1.25	1.15	1.00

The following japanese flowering cherries are available
in the following grades:

—amanogawa — semi-double pink, sandy loam to silty loam, moist, well drained, PH 6.0-7.5, sun			
4 to 5 ft.	1.75	1.50	
5 to 6 ft.	2.00	1.75	
6 to 8 ft.	3.00	2.50	
8 to 10 ft.	6.00	5.00	

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

PRUNUS — Continued

—**james veitch** — double blush pink, sandy loam to silty loam, moist, well drained PH 6.0-7.5, sun

4 to 5 ft.	1.75	1.50
5 to 6 ft.	2.00	1.75
6 to 8 ft.	3.00	2.50
8 to 10 ft.	6.00	5.00

—**naden** — double pink, sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun

4 to 5 ft.	1.75	1.50
5 to 6 ft.	2.00	1.75
6 to 8 ft.	3.00	2.50
8 to 10 ft.	6.00	5.00

—**seiboldi** — double pink, sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun

4 to 5 ft.	1.75	1.50
5 to 6 ft.	2.00	1.75
6 to 8 ft.	3.00	2.50
8 to 10 ft.	6.00	5.00

—**yoshino** — blush pink to white, sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun

4 to 5 ft.	1.75	1.50
5 to 6 ft.	2.00	1.75
6 to 8 ft.	3.00	2.50
8 to 10 ft.	6.00	5.00

POLYGONUM

—**auberti**. 25 ft. (Silver Lace Vine) sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade

2 yr. No. 1	.40	.35	.30
-------------	-----	-----	-----

PYRACANTHA

—**coccinea lalandi**. 6 ft. (Firethorn) medium to heavy loam, moist, well drained, PH 6.0-7.5, sun-shade

24 to 30 in. B&B	3.50	3.25	3.00
30 to 36 in. B&B	4.50	4.25	4.00
3 to 4 ft. B&B	6.00	5.50	5.00

PSEUDOTSUGA

—**Douglasi**. 75 ft. (Douglas Fir) light to medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade

2 to 3 ft. B&B	3.00	2.75	2.50
3 to 4 ft. B&B	4.00	3.75	3.50
4 to 5 ft. B&B	6.00	5.50	

PTELEA

—**trifoliata**. 20 ft. (Hoptree) sandy to medium loam, moist, PH 6.0-7.5, sun-partial shade

3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.70	.60	.50
5 to 6 ft.	.80	.70	.60
6 to 8 ft.	1.00	.90	.75

QUERCUS

—**alba**. 65 ft. (White Oak) rich, medium loam, moist, well drained, PH 5.5-7.0, sun

6 to 8 ft.	2.50	2.25	2.00
8 to 10 ft.	3.25	3.00	2.75

		Each 1-4	Each 5-24	Each 25-up
QUERCUS, alba — Continued				
1¼ to 1½ in.		4.00	3.75	3.50
1½ to 1¾ in.		5.00	4.75	4.50
1¾ to 2 in.		6.50	6.00	
2 to 2½ in.		8.00	7.50	
2½ to 3 in.		10.00	9.00	
3 to 3½ in.		12.00	11.00	
3½ to 4 in.		17.50	15.00	
— bicolor. 60 ft. (Swamp White Oak) medium to silty loam, moist, PH 6.0-7.0, sun				
6 to 8 ft.		2.50	2.25	2.00
8 to 10 ft.		3.25	3.00	2.75
1¼ to 1½ in.		4.00	3.75	
1½ to 1¾ in.		5.00	4.50	
— coccinea. 75 ft. (Scarlet Oak) porous gravely to medium loam, moist, well drained, PH 6.0-7.0, sun				
6 to 8 ft.		2.50	2.25	2.00
8 to 10 ft.		3.25	3.00	2.75
1¼ to 1½ in.		4.00	3.75	3.50
1½ to 1¾ in.		5.00	4.75	4.50
1¾ to 2 in.		6.50	6.00	5.50
2 to 2½ in.		7.50	7.00	6.50
2½ to 3 in.		9.50	9.00	8.50
3 to 3½ in.		12.00	11.00	
— lyrata. 70 ft. (Overcup Oak) sandy to medium loam, moist, PH 6.0-7.0, sun				
6 to 8 ft.		2.50	2.25	2.00
8 to 10 ft.		3.25	3.00	2.75
1¼ to 1½ in.		4.00	3.75	3.50
1½ to 1¾ in.		5.00	4.50	
— palustris. 70 ft. (Pin Oak) rich, medium loam, moist, well drained, PH 5.5-6.5, sun				
6 to 8 ft.		2.00	1.75	1.50
8 to 10 ft.		2.75	2.50	2.25
1¼ to 1½ in.		3.25	3.00	2.75
1½ to 1¾ in.		4.00	3.75	3.50
1¾ to 2 in.		5.00	4.50	4.00
2 to 2½ in.		7.00	6.50	6.00
2½ to 3 in.		8.00	7.50	7.00
3 to 3½ in.		9.00	8.50	8.00
3½ to 4 in.		12.00	11.00	10.00
4 to 5 in.		22.50	20.00	17.50
6, 7 and 8 inch, price on request				
— phellos. 45 ft. (Willow Oak) medium loam to silty loam, moist, well drained, PH 5.5-6.5, sun				
6 to 8 ft.		2.50	2.00	
8 to 10 ft.		3.00	2.75	
— prinus. 50 ft. (Chestnut Oak) medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun				
3½ to 4 in.		15.00		
— robur fastigiata. 40 ft. (Pyramidal English Oak) medium loam, moist, well drained, PH 6.0-7.0, sun				
4 to 5 ft.		3.50	3.25	3.00
5 to 6 ft.		4.50	4.25	4.00
6 to 8 ft.		7.00	6.50	6.00
1¼ to 1½ in.		10.00	9.00	8.00
1½ to 1¾ in.		12.00	11.00	10.00
1¾ to 2 in.		14.00	13.00	12.00

	Each 1-4	Each 5-24	Each 25-up
QUERCUS, robur fastigiata — Continued			
2 to 2½ in.....	16.00	15.00	14.00
2½ to 3 in.....	22.00	20.00	
3 to 3½ in.....	30.00	25.00	

—**rubra**. 70 ft. (Red Oak) medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun

6 to 8 ft.....	2.25	2.00	1.75
8 to 10 ft.....	2.75	2.50	2.25
1¼ to 1½ in.....	3.25	3.00	2.75
1½ to 1¾ in.....	4.50	4.25	4.00
1¾ to 2 in.....	5.50	5.25	5.00
2 to 2½ in.....	7.00	6.50	6.00
2½ to 3 in.....	10.00	9.00	8.00
3 to 3½ in.....	12.00	11.00	10.00
3½ to 4 in.....	17.50	15.00	12.50
4 to 5 in.....	30.00	25.00	
6, 7 and 8 in., price on request			

—**valutina**. 70 ft. (Black Oak) medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun

6 to 8 ft.....	2.50	2.25	2.00
8 to 10 ft.....	3.25	3.00	2.75
1¼ to 1½ in.....	4.00	3.75	
1½ to 1¾ in.....	5.00	4.50	

RETINOSPORA

—**filifera**. 10 ft. (Thread Branched Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade

15 to 18 in. B&B.....	2.00	1.75	1.50
18 to 24 in. B&B.....	2.50	2.25	2.00
2 to 2½ ft. B&B.....	3.00	2.75	2.50
2½ to 3 ft. B&B.....	3.50	3.25	3.00
3 to 4 ft. B&B.....	4.50	4.00	

—**filifera aurea**. 6 ft. (Golden Thread Branched Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade

12 to 15 in. B&B.....	1.75	1.50	1.25
15 to 18 in. B&B.....	2.25	2.00	1.75
18 to 24 in. B&B.....	2.50	2.25	

—**filifera aurea nova**. 8 ft. (Variegated Thread Branched Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade

15 to 18 in. B&B.....	2.00	1.75	
18 to 24 in. B&B.....	2.50	2.25	
2 to 2½ ft. B&B.....	3.00	2.75	

—**nootkatensis**. 65 ft. (Nootka Cypress) medium loam moist, well drained, PH 5.5-6.5, sun-partial shade

2½ to 3 ft. B&B.....	3.00	2.75	
3 to 4 ft. B&B.....	3.50	3.25	
4 to 5 ft. B&B.....	4.50	4.00	

—**obtusa crippei**. 8 ft. (Hinoki Cypress) rich, medium loam, moist, well drained, PH 5.5-6.5, sun-partial shade

2½ to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.75	3.50

RETINOSPORA—Continued

		Each 1-4	Each 5-24	Each 25-up
—obtusa crippei aurea. 8 ft. (Golden Hinoki Cypress) rich, medium loam, moist, well drained, PH 5.5-6.5, sun-shade.				
2½	to 3 ft. B&B	3.00	2.75	2.50
3	to 4 ft. B&B	4.00	3.75	
—obtusa gracilis. 10 ft. (Slender Hinoki Cypress) rich, medium loam, moist, well drained, PH 5.5-6.5, sun-part shade.				
18	to 24 in. B&B	2.50	2.00	
2	to 2½ ft. B&B	2.75	2.50	2 25
2½	to 3 ft. B&B	3.00	2.75	2.50
3	to 4 ft. B&B	4.00	3.75	
—obtusa gracilis aurea. 10 ft. rich, medium loam, moist, well drained, PH 5.5-6.5, sun-partial shade				
18	to 24 in. B&B	2.50	2.00	
2	to 2½ ft. B&B	2.75	2.50	2 25
2½	to 3 ft. B&B	3.00	2.75	2.50
3	to 4 ft. B&B	4.00	3.75	
4	to 5 ft. B&B	4.50	4.00	
—obtusa nana, 5 ft. rich, medium loam, moist, well drained, PH 5.5-6.5, sun-part shade				
18	to 24 in. B&B	2.50	2.00	
2	to 2½ ft. B&B	2.75	2.50	2 25
2½	to 3 ft. B&B	3.00	2.75	2.50
3	to 4 ft. B&B	4.00	3.75	
—pisifera. 25 ft. (Sawara Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade				
18	to 24 in. B&B	2.00	1.75	1.50
2	to 2½ ft. B&B	2.25	2.00	1.75
2½	to 3 ft. B&B	2.50	2.25	2.00
3	to 4 ft. B&B	3.25	3.00	2.75
4	to 5 ft. B&B	4.00	3.50	
5	to 6 ft. B&B	7.00	6.50	
—pisifera aurea. 25 ft. (Golden Sawara Cypress) medium loam, moist, well drained, PH 6.0- 7.0, sun-partial shade				
18	to 24 in. B&B	2.00	1.75	1.50
2	to 2½ ft. B&B	2.25	2.00	1.75
2½	to 3 ft. B&B	2.50	2.25	2.00
3	to 4 ft. B&B	3.25	3.00	2.75
4	to 5 ft. B&B	4.00	3.50	
5	to 6 ft. B&B	7.00	6.50	
—plumosa. 20 ft. (Plume Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade				
18	to 24 in. B&B	2.00	1.75	1.50
2	to 2½ ft. B&B	2.25	2.00	1.75
2½	to 3 ft. B&B	2.50	2.25	2.00
3	to 4 ft. B&B	3.25	3.00	
—plumosa aurea. 18 ft. Golden Plume Cypress) medium loam, moist, well drained, PH 6.0- 7.0, sun-partial shade				
18	to 24 in. B&B	2.00	1.75	1.50
2	to 2½ ft. B&B	2.25	2.00	1.75
2½	to 3 ft. B&B	2.50	2.25	2.00
3	to 4 ft. B&B	3.25	3.00	

RETINOSPORA—Continued

Each 1-4 Each 5-24 Each 25-up

—*plumosa argentea*. 15 ft. (Silver Tip Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade

15 to 18 in. B&B.....	2.00	1.75	1.50
18 to 24 in. B&B.....	2.50	2.25	2.00
24 to 30 in. B&B.....	3.00	2.75	2.50

—*plumosa sulphurea*. 20 ft. (Sulphur Plume Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade

15 to 18 in. B&B.....	2.00	1.75	
18 to 24 in. B&B.....	2.50	2.25	
24 to 30 in. B&B.....	3.00	2.75	

—*squarrosa veitchi*. 20 ft. (Gray Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade

18 to 24 in. B&B.....	2.00	1.75	1.50
2 to 2½ ft. B&B.....	2.25	2.00	1.75
2½ to 3 ft. B&B.....	2.50	2.25	2.00
3 to 4 ft. B&B.....	3.25	3.00	2.75

RHAMNUS

—*carolineana*. 25 ft. (Carolina Buckthorn) sandy to silty clay, moist-dry, PH 6.0-7.5, sun-partial shade

3 to 4 ft.....	.40	.35	.30
4 to 5 ft.....	.50	.45	.40
5 to 6 ft.....	.60	.55	.50
6 to 8 ft.....	.80	.70	.60

—*cathartica*. 12 ft. (Buckthorn) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-partial shade

2 to 3 ft.....	.35	.30	.25
3 to 4 ft.....	.40	.35	.30

—*frangula*. 10 ft. (Glossy Buckthorn) sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade

3 to 4 ft.....	.40	.35	.30
4 to 5 ft.....	.50	.45	.40

—*purshiana*. 12 ft. (Cascara Buckthorn) sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade

18 to 24 in.....	.25	.22	.20
2 to 3 ft.....	.35	.30	
3 to 4 ft.....	.45	.40	

RHODOTYPOS

—*kerroides*. 6 ft. (Jetbead) rich, medium loam, moist, well drained, PH 6.0-7.5, sun-shade

18 to 24 in.....	.35	.30	
2 to 3 ft.....	.50	.40	
3 to 4 ft.....	.60	.50	

RHUS

	Each 1-4	Each 5-24	Each 25-up
—canadensis. 6 ft. (Fragrant Sumac) sandy to medium loam, dry, good drainage, PH 6.0-7.5, sun-partial shade			
18 to 24 in.	.30	.25	.20
2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
—copallina. 12 ft. (Shining Sumac) sandy to medium loam, dry-good drainage, PH 5.5-7.0, sun			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
—cotinus. 12 ft. (Purple Fringe) medium loam, moist, well drained, PH 6.0-7.5, sun			
3 to 4 ft.	.70	.60	.50
4 to 5 ft.	1.00	.90	.80
5 to 6 ft.	1.50	1.25	
—glabra. 12 ft. (Smooth Sumac) sandy to medium loam, dry-moist, PH 5.0-7.0, sun			
2 to 3 ft.	.25	.22	.20
3 to 4 ft.	.30	.27	.25
4 to 5 ft.	.45	.40	.35
—typhina. 15 ft. (Staghorn Sumac) sandy to medium loam, dry-moist, PH 5.0-7.0, sun			
2 to 3 ft.	.25	.22	.20
3 to 4 ft.	.30	.27	.25
4 to 5 ft.	.45	.40	.35
5 to 6 ft.	.50	.45	.40
—typhina laciniata. 20 ft. (Cutleaf Sumac) sandy to medium loam, dry-moist, PH 5.0-7.0, sun			
3 to 4 ft.	.40	.35	.30
4 to 5 ft.	.50	.45	.40

RHODODENDRON

—carolineanum. 5 ft. Nursery grown, Carolina Rhododendron) woodsy or peaty loam, moist, well drained, PH 4.5-6.0, sun-partial shade			
24 to 30 in. B&B	4.50	4.00	
30 to 36 in. B&B	5.00	4.50	
3 to 4 ft. B&B	6.00	5.50	
—carolineanum album. 7 ft. (White Carolina Rhododendron) woodsy or peaty loam, moist, well drained, PH 4.5-6.0 sun-partial shade			
24 to 30 in. B&B	4.50	4.00	
30 to 36 in. B&B	5.00	4.50	
—catawbiense. 6 ft. Nursery Grown Catawba Rhododendron) woodsy or peaty loam, moist, well drained, PH 4.5-6.0, sun-partial shade			
24 to 30 in. B&B	4.50	4.00	
30 to 36 in. B&B	5.00	4.50	
3 to 4 ft. B&B	6.00	5.50	

	Each 1-4	Each 5-24	Each 25-up
RHODODENDRON —Continued			
—maximum collected 10 ft. (Rosebay Rhododendron) woody or peaty loam, moist, well drained, PH 4.5-6.0, partial shade.			
24 to 30 in. B&B.....	4.50	4.00	
30 to 36 in. B&B.....	5.00	4.50	
3 to 4 ft. B&B.....	6.00	5.50	
—hybrid seedlings. Mixed colors 6 ft. woody or peaty loam, moist, well drained, PH 4.5-6.0, sun-par- tial shade			
15 to 18 in. B&B.....	3.50	3.00	
18 to 24 in. B&B.....	4.50	4.00	

RIBES

—alpinum. 5 ft. (Mountain Currant) sandy to silty clay loam, moist, well drained, PH 6.0-7.5, sun- shade			
12 to 15 in.....	.25	.22	.20
15 to 18 in.....	.35	.30	.25
18 to 24 in.....	.40	.35	.30
24 to 30 in.....	.50	.45	.40
30 to 36 in.....	.60	.55	.50
3 to 4 ft.....	.70	.60	
—aureum. 8 ft. (Golden Currant) sandy to silty clay loam, moist, well drained, PH 6.0-7.5, sun- partial shade			
2 to 3 ft.....	.40	.35	
3 to 4 ft.....	.45	.40	

ROBINA

—hispidia. 9 ft. (Rose Acacia) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun			
3 to 4 ft.....	.55	.50	.45
4 to 5 ft.....	.80	.70	.60
5 to 6 ft.....	1.00	.90	.80
—hispidia top-grafted. 10 ft. sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun			
4 to 5 ft., 1 year heads.....	2.00	1.75	
—pseudoacacia. 55 ft. (Common Locust) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun			
6 to 8 ft.....	1.00	.85	.75
8 to 10 ft.....	1.25	1.15	1.00
1½ to 1¾ in.....	2.00	1.75	
1¾ to 2 in.....	3.00	2.50	
—viscosa. 10 ft. (Clammy Locust) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun			
3 to 4 ft.....	.55	.50	.45
4 to 5 ft.....	.80	.70	.60

ROSA

—blanda. 5 ft. (Meadow Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.5			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.45	.40	.35
—humilis. 5 ft. (Pasture Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.5, sun			
18 to 24 in.....	.35	.30	
2 to 3 ft.....	.45	.40	

ROSA — Continued

	Each 1-4	Each 5-24	Each 25-up
—lucida. 5 ft. (Virginia Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun slight shade			
18 to 24 in.	.40	.35	.30
2 to 3 ft.	.45	.40	.35
—nitida. 3 ft. (Bristly Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun			
18 to 24 in.	.40	.35	.30
2 to 3 ft.	.45	.40	.35
—palustris. 8 ft. (Swamp Rose) sandy to silty clay loam, moist, PH 6.0-7.0, sun-slight shade			
18 to 24 in.	.40	.35	
2 to 3 ft.	.45	.40	
—rubrifolia. 6 ft. (Redleaf Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun			
18 to 24 in.	.40	.35	
2 to 3 ft.	.45	.40	
—rugosa alba. (pure white) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun partial shade			
18 to 24 in.	.40	.35	
2 to 3 ft.	.45	.40	
—rugosa rubra. (rose red) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun partial shade			
2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
—setigera. 6 ft. (Prairie Rose) sandy to silty clay loam, moist, PH 6.0-7.0, sun-partial shade			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
—wichuriana. 2' Sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun or part shade			
1 year No. 1	.30	.25	.20
2 year No. 1	.40	.35	.30

SALIX

—babylonica. 50 ft. (Babylon Weeping Willow) Sandy to medium loam, moist, PH 5.5-7.5, sun			
6 to 8 ft.	1.50	1.35	1.25
8 to 10 ft.	2.00	1.75	1.50
1¼ to 1½ in.	2.50	2.00	
—babylonica salamoni. 50 ft. Salamon weeping wil- low) sandy to medium loam, moist, PH 5.5 7.5, sun			
6 to 8 ft.	1.50	1.35	1.25
8 to 10 ft.	2.00	1.75	1.50
1¼ to 1½ in.	2.50	2.00	
1½ to 1¾ in.	3.00	2.50	

SALIX — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**blanda**. 40 ft. (Wisconsin Weeping Willow) sandy to medium loam, moist, PH 5.5-7.5, sun

6 to 8 ft.	1.50	1.35	1.25
8 to 10 ft.	2.00	1.75	1.50
1¼ to 1½ in.	2.50	2.00	

—**discolor**. 18 ft. (Pussy Willow) sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade

3 to 4 ft.	.40	.35	.30
4 to 5 ft.	.50	.45	.40
5 to 6 ft.	.70	.60	.50
6 to 8 ft.	.90	.80	.70
8 to 10 ft.	1.25	1.15	1.00

—**elegantissima**. 60 ft. (ThurLOW Willow) sandy to medium loam, moist, PH 6.0-7.5, sun

6 to 8 ft.	1.50	1.35	1.25
8 to 10 ft.	2.00	1.75	
1¼ to 1½ in.	2.50	2.00	

—**incana**. 20 ft. (Rosemary Willow) sandy to medium loam, moist, PH 6.0-7.5, sun-partial shade

3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.80	.70	.60

—**matsudona tortuosa**. 22 ft. (corkscrew willow) sandy to medium loam, moist, PH 6.0-7.5, sun

5 to 6 ft.	1.25	1.15	1.00
6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.50	2.25	2.00
1¼ to 1½ in.	3.00	2.75	2.50
1½ to 1¾ in.	4.00	3.50	

—**mutabilis**. 5 ft. sandy to medium loam, moist, PH 6.0-7.5, sun

18 to 24 in.	.40	.35	.30
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50
4 to 5 ft.	.80	.70	.65

—**nigra**. 12 ft. (Black Willow) sandy to medium loam, moist, PH 6.0-7.5, sun

5 to 6 ft.	.80	.70	.60
6 to 8 ft.	1.00	.90	.75

—**niobe**. 30 ft. (Golden Weeping Willow) Sandy to medium loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.50	1.35	
8 to 10 ft.	2.00	1.75	
1¼ to 1½ in.	2.50	2.00	

SALIX — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**petandra.** 25 ft. (Laurelleaved Willow) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

6 to 8 ft.....	1.50	1.35	1.25
8 to 10 ft.....	2.00	1.75	1.50
10 to 12 ft.....	2.50	2.00	

—**vitellina.** 30 ft. (Golden Willow) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.

6 to 8 ft.....	1.50	1.35	1.25
8 to 10 ft.....	2.00	1.75	1.50
1¼ to 1½ in.....	2.50	2.00	1.75

SAMBUCUS

—**canadensis.** 10 ft. (American Elder) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50

—**canadensis acutiloba.** 10 ft. (Cutleaf Elder) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-

3 to 4 ft.....	.45	.40	
4 to 5 ft.....	.60	.50	

—**nigra.** 15 ft. (European Elder) Sandy loam to silty clay, moist, PH 6.5-7.5, sun-partial shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50

—**nigra aurea.** 15 ft. (Golden European Elder) Sandy loam to silty clay, moist, PH 6.5-7.5, sun-partial shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60

—**pubens.** 8 ft. (Scarlet Elder) Sandy loam to silty clay, moist, PH 6.5-7.5, sun-partial shade.

2 to 3 ft.....	.50	.45	
3 to 4 ft.....	.60	.50	

SASSAFRAS

—**varifolium.** 50 ft. (Sassafras) Sandy loam to silty clay, moist, PH 5.5-7.5, sun-partial shade.

6 to 8 ft.....	2.50	2.00	
8 to 10 ft.....	3.00	2.50	

SOPHORA

—**japonica.** 20 ft. (Chinese Scholartree) Medium loam to silty clay, dry-moist, PH 6.0-7.5, sun.

18 to 24 in. B&B.....	2.50	2.00	
2 to 3 ft. B&B.....	3.00	2.50	
3 to 4 ft. B&B.....	4.00	3.50	

SORBARIA

—**atchisoni**. 7 ft. (Kashmir False Spirea) Medium loam, moist, PH 6.0-7.5, sun-partial shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.	.40	.35	
3 to 4 ft.	.50	.45	

—**sorbifolia**. 5 ft. (Ural False Spirea) Medium loam, moist, PH 6.0-7.5, sun-partial shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.	.40	.35	
3 to 4 ft.	.50	.45	

SORBUS

—**aucuparis**. 30 ft. (European Mountain Ash) Medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

	Each 1-4	Each 5-24	Each 25-up
6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.25	2.00	1.75
1¼ to 1½ in.	2.75	2.50	2.25
1½ to 1¾ in.	3.25	3.00	2.75
1¾ to 2 in.	4.00	3.75	3.50
2 to 2½ in.	5.00	4.50	
2½ to 3 in.	6.50	6 00	

SPIREA

—**anthony waterer**. 3 ft. (Dwarf Pink Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.

	Each 1-4	Each 5-24	Each 25-up
12 to 15 in.	.25	.22	.20
15 to 18 in.	.35	.30	.25
18 to 24 in.	.40	.35	

—**arguta**. 7 ft. (Garland Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40
5 to 6 ft.	.60	.55	.50

—**billardi**. 5 ft. (Pink Flowering Spirea) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

—**collosa alba**. 2½ ft. (White Japanese Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.

	Each 1-4	Each 5-24	Each 25-up
15 to 18 in.	.40	.35	

—**douglasi**. 6 ft. (Red Flowering) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40

—**froebeli**. 4 ft. (Dwarf Pink) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

	Each 1-4	Each 5-24	Each 25-up
24 to 30 in.	.40	.35	
30 to 36 in.	.45	.40	

SPIREA — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**prunifolia plena.** 10 ft. (Double Bridal Wreath) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40
5 to 6 ft.	.60	.55	.50

—**salicifolia.** 5 ft. (Willowleaf Spirea) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40

—**thunbergi.** 5 ft. (White Flowering Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

—**trichocarpa.** 5 ft. (Korean Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40

—**vanhoutti.** 10 ft. (Single White Flowering) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40
5 to 6 ft.	.60	.55	.50

STEPHANANDRA

—**flexuosa.** 6 ft. (Creamy White) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

SYMPHORICARPOS

—**mollis.** 6 ft. (Spreading Snowberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

18 to 24 in.	.35	.30	.25
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

—**racemosus.** 6 ft. (White Snowberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

18 to 24 in.	.35	.30	.25
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

—**vulgaris.** 4 ft. (Coralberry) Sandy loam to silty clay, dry-moist, PH-6.0-7.5, sun-shade.

18 to 24 in.	.35	.30	.25
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

SYMPHORICARPOS — Continued

—**vulgaris chenauti**. 6 ft. (Improved Coralberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

	Each 1-4	Each 5-24	Each 25-up
18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35

SYRINGA

—**chinensis syn. rothomagensis**. 10 ft. (Chinese Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.55	.50
4 to 5 ft.....	.80	.70	.60

—**japonica**. 20 ft. (Japanese Tree Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

	Each 1-4	Each 5-24	Each 25-up
3 to 4 ft.....	.70	.60	
4 to 5 ft.....	.80	.70	
5 to 6 ft.....	1.25	1.00	

—**josikaea**. 10 ft. (Hungarian Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

	Each 1-4	Each 5-24	Each 25-up
5 to 6 ft.....	1.00	.85	
6 to 8 ft.....	1.25	1.15	

—**persica**. 10 ft. (Persian Lilacs) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.55	.50
4 to 5 ft.....	.80	.70	.60
5 to 6 ft.....	1.00	.90	.80

—**pekinensis**. 15 ft. (Peking Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

	Each 1-4	Each 5-24	Each 25-up
3 to 4 ft.....	.80	.70	.60
4 to 5 ft.....	1.25	1.00	.90
5 to 6 ft.....	1.75	1.50	1.25

—**villosa**. 8 ft. (Late Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.....	.50	.45	
3 to 4 ft.....	.60	.55	
4 to 5 ft.....	.80	.70	

—**vulgaris alba**. 12 ft. (Common White Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

	Each 1-4	Each 5-24	Each 25-up
3 to 4 ft.....	.70	.60	
4 to 5 ft.....	.80	.70	
5 to 6 ft.....	1.25	1.00	

—**vulgaris**. 12 ft. (Common Purple Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.80	.70	.60
5 to 6 ft. spec. clumps.....	3.00	2.75	2.50
6 to 7 ft. spec. clumps.....	4.00	3.75	3.50
7 to 8 ft. spec. clumps.....	5.50	5.25	5.00
8 to 9 ft. spec. clumps.....	7.00	6.50	6.00
9 to 10 ft. spec. clumps.....	10.00	9.00	8.00

Each	Each	Each
1-4	5-24	25-up

SYRINGA — Continued

—**vulgaris hybrids.** 10 ft. following named varieties.

Medium loam to silty clay, moist, well drained,
PH 6.5-8.0, sun.

Belle de Nancy — Double rose

Chas. Joly — purplish red

Frau B. Dammann — single white

J. Calot — rosy pink

La tour d'Auvergne — double purple

Marie LeGraye — single white

Mad. Lemoini — double white

Mad. A. Chatenay — double white

Mad. Casimir Perier — double creamy white

Mad. Felix Dykhuis — double white

Pres. Grevy — double blue

Souv. de Ludwig Spaeth — single red

Viviand Morel — double lilac

2 to 3 ft.	.80	.70	.60
3 to 4 ft.	1.00	.90	.80
4 to 5 ft.	1.50	1.25	
5 to 6 ft.	1.75	1.50	

TAMARIX

Africana. 12 ft. (Early Light Pink) Light, sandy loam,
dry, PH 6.0-7.5, sun.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40

—**gallica.** 8 ft. (Blue-green leaves, Pink flowers) Light
sandy loam, dry, PH 6.0-7.5, sun.

2 to 3 ft.	.45	.40
3 to 4 ft.	.50	.45

—**hispida.** 8 ft. (Silvery leaves, Pink flowers) Light
sandy loam, dry, PH 6.0-7.5, sun.

2 to 3 ft.	.45	.40
3 to 4 ft.	.50	.45

TAXODIUM

—**distichum.** 80 ft. (Common Bald Cypress) Medium
to heavy loam, wet, PH 5.0-6.5, sun.

4 to 5 ft. B&B	5.00	4.50
5 to 6 ft. B&B	6.50	6.00
6 to 8 ft. B&B	10.00	8.00
8 to 10 ft. B&B	12.00	10.00
10 to 12 ft. B&B	15.00	14.00

TAXUS

—**baccata repandens.** 2 ft. (Spreading English Yew)
Sandy loam to silty clay, moist, well drained,
PH 6.0-7.5, part shade.

12 to 15 in. B&B	2.00	1.75	1.50
15 to 18 in. B&B	2.25	2.00	
18 to 24 in. B&B	3.25	3.00	2.75
24 to 30 in. B&B	4.25	4.00	3.75

TAXUS — Continued

Each 1-4 Each 5-24 Each 25-up

—**baccata washingtoni.** 8 ft. (Golden Washington Yew)
Sandy loam to silty clay, moist, well drained,
PH 6.0-7.5, partial shade.

15 to 18 in. B&B.....	2.25	2.00
18 to 24 in. B&B.....	3.25	3.00
24 to 30 in. B&B.....	4.25	4.00
30 to 36 in. B&B Spec.....	7.00	6.00
3 to 4 ft. B&B Spec.....	12.00	10.00
4 to 5 ft. B&B Spec.....	20.00	17.50

—**canadensis.** 2½ ft. (Canadian Yew) Sandy to silty
loam, moist, well drained, PH 5.0-6.5 shade-
partial shade.

18 to 24 in. B&B.....	3.50	3.00
24 to 30 in. B&B.....	4.50	4.00

—**cuspidata.** 6 ft. (Japanese Spreading Yew) Sandy
loam to silty clay, moist, well drained, PH
5.5-7.5, sun-shade.

12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.25	3.00	
24 to 30 in. B&B.....	4.25	3.75	
30 to 36 in. B&B.....	5.50	5.00	
3 to 3½ ft. B&B.....	6.50		
3½ to 4 ft. B&B.....	10.00		

—**cuspidata capitata.** 12 ft. (Upright Japanese Yew)
Sandy loam to silty clay, moist, well drained,
PH 5.5-7.5, sun-shade.

15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.25	3.00	2.75
24 to 30 in. B&B.....	4.50	4.00	

—**cuspidata intermedia** 6 ft. sandy loam to silty clay,
moist, well drained, PH 5.5-7.5, sun-shade

12 to 15 in. B&B.....	2.25	2.00	1.75
15 to 18 in. B&B.....	2.75	2.50	2.25
18 to 24 in. B&B.....	3.25	3.00	

—**cuspidata Kallay's Vase-shaped** sandy loam to silty
clay, moist, well drained, PH 5.5-7.5, sun-
shade

12 to 15 in. B&B.....	2.25	2.00	1.75
15 to 18 in. B&B.....	2.75	2.50	
18 to 24 in. B&B.....	3.25	3.00	
24 to 30 in. B&B.....	4.50	4.00	

—**cuspidata nana.** 3 ft. (Compact Japanese Yew) Sandy
loam to silty clay, moist, well drained, PH
5.5-7.5, sun-shade.

12 to 15 in. B&B.....	2.50	2.25	2.00
15 to 18 in. B&B.....	3.00	2.75	2.50

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

TAXUS — Continued

- cuspidata nana brevifolia** 6 ft. (Dwarf Japanese Yew)
sandy loam to silty clay, moist, well drained,
PH 5.5-7.5, sun-shade.

9 to 12 in. B&B.....	2.00	1.75	1.50
12 to 15 in. B&B.....	2.50	2.25	2.00
15 to 18 in. B&B.....	3.00	2.75	2.50

- media andersoni** 8 ft. (Anderson Yew) sandy loam to
silty clay, moist, well drained, PH 5.5-7.5, sun-
shade.

12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.25	3.00	2.75
24 to 30 in. B&B.....	4.25	4.00	3.75

- media browni** 6 ft. (Brown's Yew) sandy loam to
silty clay, moist, well drained, PH 5.5-7.5, sun-
shade.

12 to 15 in. B&B.....	2.50	2.00
15 to 18 in. B&B.....	3.00	2.50

- media hatfieldi** 8 ft. (Hatfield's Yew) sandy loam to
silty clay, moist, well drained, PH 5.5-7.5, sun-
shade.

12 to 15 in. B&B.....	2.00	1.75
15 to 18 in. B&B.....	2.50	2.25
18 to 24 in. B&B.....	3.00	2.75

- media hicksi** 10 ft. (Hicks Yew) sandy loam to silty
clay, moist, well drained, PH 5.5-7.5, sun-
shade.

15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.25	3.00	2.75
24 to 30 in. B&B.....	4.25	4.00	3.75
30 to 36 in. B&B.....	6.00	5.50	5.00
3 to 3½ ft. B&B.....	7.50	7.00	
3½ to 4 ft. B&B.....	12.00	10.00	
4 to 5 ft. B&B Spec....	25.00		
5 to 6 ft. B&B Spec....	50.00		

THUYA

- occidentalis** 40 ft. (American Arborvitae) silty clay
loam, moist, well drained, PH 6.0-7.5, sun-par-
tial shade.

2 to 2½ ft. B&B.....	2.00	1.75	1.50
2½ to 3 ft. B&B.....	2.25	2.00	1.75
3 to 4 ft. B&B.....	2.75	2.50	2.25
4 to 5 ft. B&B.....	4.00	3.50	
5 to 6 ft. B&B.....	5.00	4.50	

THUYA — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**occ. columbia** 40 ft. (Silver Tip Arborvitae) silty clay loam, moist, well drained PH 6.0-7.5, sun-partial shade.

2	to	2½ ft.	B&B	2.25	2.00	1.75
2½	to	3	ft.	B&B	2.50	2.25
3	to	4	ft.	B&B	3.00	2.75
4	to	5	ft.	B&B	4.00	3.50
5	to	6	ft.	B&B	5.00	4.50

—**occ. compacta** 4 ft. (Parson's Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12	to	15 in.	B&B	1.25	1.15	1.00
15	to	18 in.	B&B	1.60	1.50	1.35
18	to	24 in.	B&B	2.00	1.75	1.65
24	to	30 in.	B&B	2.50	2.25	2.00

—**occ. douglasi aurea** 15 ft. (Douglas Golden Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2	to	2½ ft.	B&B	2.25	2.00	1.75
2½	to	3	ft.	B&B	2.50	2.25
3	to	4	ft.	B&B	3.00	2.75
4	to	5	ft.	B&B	4.00	3.75
5	to	6	ft.	B&B	5.00	4.75

—**occ. elegantissima** 15 ft. (Golden Tip Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2	to	2½ ft.	B&B	2.25	2.00	1.75
2½	to	3	ft.	B&B	2.50	2.25
3	to	4	ft.	B&B	3.00	2.75
4	to	5	ft.	B&B	4.00	3.75

—**occ. ellwangeriana** 6 ft. (Tom Thumb Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

15	to	18 in.	B&B	1.60	1.50	1.35
18	to	24 in.	B&B	2.00	1.75	1.65

—**occ. globosa** 3 ft. (Globe Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12	to	15 in.	B&B	1.25	1.15	1.00
15	to	18 in.	B&B	1.60	1.50	1.35
18	to	24 in.	B&B	2.00	1.75	1.65
24	to	30 in.	B&B	2.50	2.25	2.00

—**occ. hoveyi** 6 ft. (Hovel's Golden Arborvitae) silty clay loam, moist, well drained PH 6.0-7.5, sun-partial shade.

12	to	15 in.	B&B	1.25	1.15	1.00
15	to	18 in.	B&B	1.60	1.50	1.35
18	to	24 in.	B&B	2.00	1.75	1.65
24	to	30 in.	B&B	2.50	2.25	2.00

THUYA — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**occ. lutea.** 5 ft. (Geo. Peabody Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2	to	2½ ft. B&B	2.25	2.00	1.75
2½	to	3 ft. B&B	2.50	2.25	2.00
3	to	4 ft. B&B	3.00	2.75	2.50

—**occ. pyramidalis.** 25 ft. (Pyramidal Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

18	to	24 in. B&B	1.50	1.35	1.25
2	to	2½ ft. B&B	2.00	1.75	1.50
2½	to	3 ft. B&B	2.25	2.00	1.75
3	to	4 ft. B&B	2.75	2.50	2.25
4	to	5 ft. B&B	4.00	3.75	3.50
5	to	6 ft. B&B	5.00	4.50	

—**occi. rosenthali.** 10 ft. (Rosenthal Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

18	to	24 in. B&B	2.00	1.75	1.50
2	to	2½ ft. B&B	2.25	2.00	1.75
2½	to	3 ft. B&B	2.50	2.25	2.00

—**occ. reidi.** 5 ft. (Red Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

24	to	30 in. B&B	2.50	2.25	
30	to	36 in. B&B	3.50	3.00	

occ. spiralis. 25 ft. (Spiral Arborvitae) silty clay loam, moist, well drained PH 6.0-7.5, sun-partial shade.

2½	to	3 ft. B&B	2.50	2.25	2.00
3	to	4 ft. B&B	3.00	2.75	2.50
4	to	5 ft. B&B	4.00	3.75	3.50

—**occ. wareana.** 15 ft. (Siberian Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

15	to	18 in. B&B	1.60	1.50	1.35
18	to	24 in. B&B	2.00	1.75	1.65
2	to	2½ ft. B&B	2.50	2.25	2.00
2½	to	3 ft. B&B	3.50	3.25	3.00

—**occ. woodwardi.** 3 ft. (Woodward Globe Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12	to	15 in. B&B	1.25	1.15	1.00
15	to	18 in. B&B	1.60	1.50	1.35
18	to	24 in. B&B	2.00	1.75	1.65

THUYA — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**orientalis**. 25 ft. (Oriental Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2½ to 3	ft. B&B.....	2.50	2.25
3 to 4	ft. B&B.....	3.00	2.75
4 to 5	ft. B&B.....	4.00	3.75

—**orientalis compacta**. 8 ft. (Compact Oriental Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

18 to 24	in. B&B.....	1.50	1.35	1.25
2 to 2½	ft. B&B.....	2.00	1.75	1.50
2½ to 3	ft. B&B.....	2.25	2.00	
3 to 4	ft. B&B.....	3.00	2.50	

—**orientalis Kallay's Golden**. 10 ft. (Golden Chinese Arborvitae) silty clay loam, moist, well drained PH 6.0-7.5, sun-partial shade.

15 to 18	in. B&B.....	1.25	1.15	1.00
18 to 24	in. B&B.....	1.50	1.35	1.25
2 to 2½	ft. B&B.....	1.75	1.65	1.50
2½ to 3	ft. B&B.....	2.50	2.25	2.00
3 to 4	ft. B&B.....	3.00	2.75	2.50

—**orientalis nana aurea**. 3 ft. (Berkman's Golden Arborvitae) Silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

15 to 18	in. B&B.....	2.00	1.75
18 to 24	in. B&B.....	2.25	2.00

TILIA

—**americana**. 80 ft. (American Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

6 to 8	ft.....	1.50	1.35	1.25
8 to 10	ft.....	2.00	1.75	1.50
1½ to 1¾	in.....	2.50	2.25	2.00
1¾ to 2	in.....	3.00	2.75	2.50
2 to 2½	in.....	4.00	3.75	3.50
2½ to 3	in.....	6.00	5.50	5.00
3 to 3½	in.....	9.00	8.50	8.00

—**cordata**. 65 ft. (Little Leaf European Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

6 to 8	ft.....	2.00	1.50
8 to 10	ft.....	2.50	2.00
1¼ to 1½	in.....	3.00	2.50

—**vulgaris**. 70 ft. (Common European Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

6 to 8	ft.....	2.00	1.50
8 to 10	ft.....	2.50	2.00
1¼ to 1½	in.....	3.00	2.50
1¾ to 2	in.....	3.50	3.00
2 to 2½	in.....	4.50	4.00

TSUGA

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**carolinaena**. 50 ft. (Carolina Hemlock) good, medium loam, moist, well drained, PH 5.0-6.5, sun-shade.

6 to 7 ft. B&B	14.00	12.00
7 to 8 ft. B&B	16.00	14.00
8 to 10 ft. B&B	22.50	20.00

—**canadensis**. 75 ft. (Canadian Hemlock) good, medium loan, moist, well drained, PH 5.0-6.5, sun-shade.

2 to 2½ ft. B&B	2.50	2.25	2.00
2½ to 3 ft. B&B	3.50	3.25	3.00
3 to 4 ft. B&B	4.50	4.25	4.00
4 to 5 ft. B&B	7.00	6.50	6.00
5 to 6 ft. B&B	9.00	8.00	
6 to 7 ft. B&B	11.00	10.00	
7 to 8 ft. B&B	14.00	12.00	
8 to 9 ft. sheared spec. B&B	16.00	14.00	
9 to 10 ft. sheared spec. B&B	25.00	22.50	

ULMUS

—**alata**. 45 ft. (Winged Elm) rich, medium silty clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.50	1.25
8 to 10 ft.	1.75	1.50
1¼ to 1½ in.	2.50	2.25
1½ to 1¾ in.	2.75	2.50
1¾ to 2 in.	3.50	3.25
2 to 2¾ in.	4.50	4.25
2½ to 3 in.	6.00	5.75

—**americana**. 80 ft. (American Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.25	1.15	1.00
8 to 10 ft.	1.50	1.35	1.25
1¼ to 1½ in.	2.25	2.00	1.75
1½ to 1¾ in.	2.75	2.50	2.25
1¾ to 2 in.	3.50	3.25	3.00
2 to 2½ in.	4.50	4.25	4.00
2½ to 3 in.	6.00	5.75	5.50
3 to 3½ in.	9.00	8.50	8.00
3½ to 4 in.	11.00	10.50	10.00
4 to 5 in.	16.00	14.00	12.00
5 to 6 in.	in., price on request		

—**americana moline**. 80 ft. (Moline Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.75	1.50	1.25
8 to 10 ft.	2.00	1.75	1.50
1¼ to 1½ in.	2.50	2.25	2.00
1½ to 1¾ in.	2.75	2.50	2.25
1¾ to 2 in.	3.50	3.25	3.00
2 to 2½ in.	4.50	4.25	4.00
2½ to 3 in.	6.00	5.50	
3 to 3½ in.	9.00	8.50	
3½ to 4 in.	11.00	10.00	

ULMUS — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**campestris**. 80 ft. (English Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

6	to	8	ft.	1.75	1.65	1.50
8	to	10	ft.	2.25	2.00	1.75
1¼	to	1½	in.	3.00	2.75	2.50
1½	to	1¾	in.	3.50	3.25	3.00
1¾	to	2	in.	4.00	3.75	3.50
2	to	2½	in.	6.00	5.50	5.00
2½	to	3	in.	8.00	7.50	7.00
3	to	3½	in.	10.00	9.50	9.00

—**americana vase shaped**. 60 ft. (Vase Elm) rich, medium to silty clay, moist, PH 6.0-7.5, sun.

6	to	8	ft.	1.75	1.50	1.25
8	to	10	ft.	2.00	1.75	1.50
1¼	to	1½	in.	2.50	2.25	2.00
1½	to	1¾	in.	2.75	2.50	2.25
1¾	to	2	in.	3.50	3.25	3.00
2	to	2½	in.	4.50	4.25	4.00
2½	to	3	in.	9.00	8.50	
3½	to	4	in.	11.00	10.00	

—**compestris wheatleyi**. 75 ft. (Wheatley Elm) rich, medium silty clay loam, moist, PH 6.0-7.5, sun.

1½	to	1¾	in.	5.50	5.25	5.00
1¾	to	2	in.	6.50	6.25	6.00
2	to	2½	in.	9.00	8.00	

—**fulva**. 65 ft. (Slippery Elm) medium loam to silty clay, moist, PH 6.0-7.5, sun.

1½	to	1¾	in.	2.75	2.50	
1¾	to	2	in.	3.50	3.25	
2	to	2½	in.	4.50	4.00	
2½	to	3	in.	6.00	5.50	
3	to	3½	in.	9.00	8.50	

—**parvifolia**. 30 ft. (Chinese Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

8	to	10	ft.	2.00	1.75	
1¼	to	1½	in.	2.25	2.00	
1½	to	2	in.	2.75	2.50	
2	to	2½	in.	4.50	4.00	
2½	to	3	in.	6.00	5.50	

—**pumila**. 75 ft. (Asiatic Elm) sandy loam to silty clay, moist, PH 6.0-7.5, sun.

8	to	10	ft.	2.00	1.75	1.50
1¼	to	1½	in.	2.50	2.25	2.00
1½	to	1¾	in.	2.75	2.50	2.25
1¾	to	2	in.	3.00	2.75	2.50
2	to	2½	in.	4.50	4.25	4.00
2½	to	3	in.	6.00	5.50	5.00
3	to	3½	in.	8.00	7.50	7.00
3½	to	4	in.	11.00	10.50	10.00
4	to	5	in.	14.00	12.00	
5	to	6	in.	price on request		

VIBURNUM

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**acerifolium**. 5 ft. (Mapleleaf Viburnum) medium loam, dry-moist, PH 4.5-6.5, sun or shade.

18 to 24 in.	.40	.35	.30
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50
4 to 5 ft.	.80	.70	.60
5 to 6 ft.	1.00	.90	.80

—**americanum**. 8 ft. (American Cranberry Bush) medium loam, moist, PH 6.0-7.5, sun or partial shade.

18 to 24 in.	.30	.25	.20
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.80	.70	.60

—**burkwoodi**. 4 ft. light to silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
2 to 3 ft. B&B	3.00	2.75	2.50
3 to 4 ft. B&B	4.00	3.75	3.50

—**carlesi**. 4 ft. (Fragrant Viburnum) light to silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 15 in. B&B	1.25	1.15	1.00
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.25	2.00	1.75
2 to 3 ft. B&B	2.75	2.50	2.25
12 to 15 in. own roots B&B	1.50	1.35	1.25
15 to 18 in. own roots B&B	2.25	2.00	1.75
18 to 24 in. own roots B&B	2.75	2.50	2.25
2 to 3 ft. own roots B&B	3.00	2.75	2.50

—**cassinoides**. 6 ft. (Withe Rod) medium to silty clay loam, moist, PH 6.0-7.5, sun-shade.

18 to 24 in.	.35	.30	.25
2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.80	.70	.60
5 to 6 ft.	1.00	.80	
6 to 8 ft.	1.25	1.00	

—**dentatum**. 12 ft. (Arrowwood) sandy to silty clay loam, moist, PH 6.0-7.5, sun-shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60
6 to 8 ft.	1.25	1.15	1.00

—**dilatatum**. 10 ft. (Linden Viburnum) light to silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.60	.50	
3 to 4 ft.	.70	.60	

VIBURNUM — Continued

—**lantana**. 15 ft. (Wayfaring Tree) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.75	.65	.60

—**lentago**. 20 ft. (Nannyberry) light loam to silty clay, moist, PH 6.0-7.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.70	.60	.50
5 to 6 ft.	.80	.70	.60
6 to 8 ft.	1.00	.90	.80
8 to 10 ft.	1.25	1.15	1.00
10 to 12 ft. heavy spec. B&B	6.00	5.00	

—**molle**. 10 ft. (Kentucky Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—**nudum**. 8 ft. (Smooth Withe Rod) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
18 to 24 in.	.45	.40	
2 to 3 ft.	.60	.50	

—**opulus**. 10 ft. (Highbush Cranberry) sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.75	.65	.60

—**opulus nanum**. 2 ft. (dwarf cranberry) sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
9 to 12 in.	.65	.50	

—**opulus sterile**. 12 ft. (Common Snowball) sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.75	.65	.60

—**prunifolium**. 12 ft. (Blackhaw) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.	.75	.65	.60
3 to 4 ft.	.90	.80	.70
4 to 5 ft.	1.25	1.00	.90
5 to 6 ft.	1.75	1.50	1.25
6 to 8 ft.	2.50	2.00	

—**pubescens**. 6 ft. (Downy Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.50	

VIBURNUM — Continued

—**seiboldi**. 10 ft. (Seibold Viburnum) light loam to silty clay, moist, PH 6.0-7.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.....	.50	.40	
3 to 4 ft.....	.60	.50	

—**tomentosum**. 8 ft. (Doublefile Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.55	.50	.45

—**tomentosum plicatum**. 8 ft. (Japanese Snowball) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.....	.50	.45	
3 to 4 ft.....	.70	.60	
4 to 5 ft.....	1.00	.75	
5 to 6 ft.....	1.25	1.00	

—**wrighti**. 8 ft. (Wright's Viburnum) Light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade.

	Each 1-4	Each 5-24	Each 25-up
3 to 4 ft.....	.70	.65	.60
4 to 5 ft.....	.90	.80	
5 to 6 ft.....	1.25	1.00	

VINCA

—**minor**. 6 in. (Periwinkle) Sandy to silty clay loam moist, PH 6.0-7.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
2 year field grown.....	.15	.12	.10

VITEX

—**agnus castus**. 4 ft. (Chaste Tree) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun-slight shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.....	.40	.35	
3 to 4 ft.....	.45	.40	

VITIS

—**aestivalis**. 40 ft. (Summer Grape) Sandy loam to silty clay, moist, PH 5.5-7.5, sun-partial shade.

	Each 1-4	Each 5-24	Each 25-up
2 year No. 1.....	.40	.35	

WEIGELA

—**abel carriere**. 10 ft. Medium loam, moist, well drained, PH 6.0-7.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
12 to 18 in.....	.20	.17	.15
18 to 24 in.....	.25	.22	.20

—**amabilis**. 8 ft. (Rose Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

	Each 1-4	Each 5-24	Each 25-up
12 to 18 in.....	.20	.17	.15
18 to 24 in.....	.25	.22	.20

—**candida**. 10 ft. (White Weigela) Medium loam, moist well drained, PH 6.0-7.5, sun-partial shade.

	Each 1-4	Each 5-24	Each 25-up
12 to 18 in.....	.20	.17	.15
18 to 24 in.....	.25	.22	.20

WEIGELA — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**desboisi.** 10 ft. (Pink Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 18 in.	.20	.17	.15
18 to 24 in.	.25	.22	.20
4 to 5 ft.	.60	.50	

—**Eva Rathke.** 5 ft. (New, Red Flowering Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 18 in.	.30	.27	.25
18 to 24 in.	.45	.40	.35
4 to 5 ft.	.70	.60	
5 to 6 ft.	.80	.70	

—**floribunda.** 8 ft. (Crimson Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-part shade.

12 to 18 in.	.30	.27	.25
18 to 24 in.	.40	.35	
4 to 5 ft.	.60	.55	.50

—**hendersoni.** 10 ft. (Pink Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 18 in.	.20	.17	.15
18 to 24 in.	.25	.22	.20

—**nana variegata.** 5 ft. (Variegated Leaf Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 18 in.	.25	.22	.20
18 to 24 in.	.30	.27	.25
2 to 3 ft.	.40	.35	

—**rosea.** 8 ft. (Pink Flowering Weigela) Medium loam moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 18 in.	.20	.17	.15
18 to 24 in.	.25	.22	.20
4 to 5 ft.	.60	.50	

WISTARIA

—**multijuga.** 30 ft. (Japanese Wistaria) Medium to silty clay loam, moist, well drained, PH 6.0-7.5, sun-slight shade.

2 year No. 1	.50	.40	
3 year No. 1	.60	.50	

—**sinensis blue.** 40 ft. (Chinese Purple Wistaria) Medium to silty clay loam, moist, well drained, PH 6.0-7.5, sun-shade.

2 year No. 1	.50	.40	
3 year No. 1	.60	.50	

—**sinensis white.** 40 ft. (Chinese White Wisteria) Medium to silty clay loam, moist, well drained, PH 6.0-7.5, sun-shade.

2 year No. 1	.50	.40	
3 year No. 1	.60	.50	

ZANTHORHIZA

—**apiifolia.** 3 ft. (Yellowroot) Sandy loam to silty clay, dry-moist, PH 5.0-6.5, sun-partial shade.

12 to 15 in.	.35	.30	
15 to 18 in.	.45	.40	
18 to 24 in.	.60	.50	

For schedule of prices on balling and burlapping deciduous trees and shrubs, see inside back cover.

PEONIES

Strong, 3 to 5 eye divisions

	Each 1-4	Each 5-24	Each 25-up
Albert Crousse, Shell pink35	.30	.25
Baroness Schroeder. Pale pink50	.40	.35
Claire Dubois. Satin pink40	.35	.30
Felix Crousse. Rubq red40	.35	.30
Festiva Maxima. White.40	.35	.30
Gigantea. Rose pink35	.30	.25
Karl Rosenfeld. Red.40	.35	.30
Lady Alexander Duff. Pink40	.35	.30
Livingston. Light pink40	.35	.30
Mad. Emile Galie. Pink35	.30	.25
Mad. Jules Dessert. Shell pink40	.35	.30
Marie Crousse. Salmon pink35	.30	.25
Mikado - Japanese. Dark crimson ..	.45	.40	.35
Mons Jules Elie. Early pink45	.40	.35
Officinalis rubra fl. pl. Early red....	.45	.40	.35
Solange. Waxy white50	.45	.40
Therese. Pink60	.50	.40
Walter Faxon. Coral pink.....	.50	.40	.35

SMALL FRUIT

GRAPES —

	Each 1-4	Each 5-24
Campbell's Early, 2 yr., No. 120	.18
Catawba, 2 yr., No. 120	.18
Concord, 2 yr., No. 118	.15
Delaware, 2 yr., No. 120	.18
Diamond, 2 yr., No. 120	.18
Moore's Early, 2 yr., No. 120	.18
Niagara, 2 yr., No. 120	.18
Worden, 2 yr., No. 120	.18

BERRY-BEARING TREES AND SHRUBS

For late fall and winter effect; also attractive to birds.

TREES

Cornus florida—red
Corylus americana—brown
Corylus avellana—brown
Crataegus in variety—red

Malus in variety—red
Morus alba—white
Nyssa sylvatica—black
Sorbus aucuparia—red

DECIDUOUS SHRUBS

Amelanchier canadensis—purple
Amelanchier stolonifera—purple
Aronia arbutifolia—red
Aronia melanocarpa—black
Berberis in variety—red
Benzoin aestivale—red
Chionanthus virginica—blue
Cornus alternifolia—black
Cornus alba sibirica—white
Cornus amomum—blue
Cornus mas—red
Cornus paniculata—white
Cornus stolonifera—black
Cotoneaster in variety—red
Euonymus alatus—red
Euonymus americana—red
Euonymus europaeus—orange
Euonymus yezoensis—orange
Ilex verticillata—red
Ligustrum amurense—black
Ligustrum ibota—black
Ligustrum ibota relelianum—black

Ligustrum vulgare—black
Lonicera in variety—red
Myrica carolinensis—gray
Photinia villosa—red
Rhamnus catharticus—black
Rhamnus frangula—black
Rhus canadensis—red
Sambucus canadensis—black
Sambucus nigra—black
Sambucus pubens—scarlet
Symphoricarpos racemosus—white
Symphoricarpos vulgaris—red
Symphoricarpos V. Chenaulti—black
Viburnum acerifolium—black
Viburnum americanum—red
Viburnum cassinoides—red
Viburnum dentatum—black
Viburnum lantana—black
Viburnum lentago—black
Viburnum opulus—red
Viburnum Wrighti—red

Specially attractive to birds on which they feed, and bird lovers should by all means include the following varieties in their plantings:

Amelanchier in variety
Aronia in variety
Benzoin aestivale
Chionanthus virginica
Cornus in variety
Cotoneaster in variety
Crataegus in variety
Ligustrum in variety

Lonicera in variety
Malus in variety
Myrica carolinensis
Prunus in variety
Rhus in variety
Rosa in variety
Symphoricarpos in variety
Viburnum in variety

SCHEDULE OF B. & B. PRICES

The following is a schedule of prices for balling and burlapping deciduous trees and shrubs of various grades which are listed with bare roots. Items listed B. & B., price of balling is included in the list price.

Unless instructed to the contrary, the following size balls will be supplied. If larger or smaller balls are required, prices will be adjusted accordingly.

SHRUBS AND FLOWERING TREES

Ball Size	Lbs.		1-5 Each	5-25 Each
10 in.	30	1½ to 2 ft.	\$.50	\$.40
12 in.	45	2 to 3 ft.	.65	.55
13 in.	55	3 to 4 ft.	.75	.65
15 in.	85	4 to 5 ft.	1.15	1.00
16 in.	105	5 to 6 ft.	1.50	1.35
18 in.	150	6 to 7 ft.	2.50	2.25
20 in.	200	7 to 8 ft.	3.50	3.00
22 in.	260	8 to 10 ft.	5.00	4.50

SHADE TREES

20 in.	200	1¼ to 1½ in.	\$3.50	\$3.25
22 in.	260	1½ to 1¾ in.	5.00	4.50
24 in.	325	1¾ to 2 in.	6.00	5.50
28 in.	400	2 to 2½ in.	8.00	7.00
30 in.	650	2½ to 3 in.	10.00	9.00
36 in.	1025	3 to 4 in.	16.00	15.00
42 in.	1600	4 to 5 in.	22.00	20.00
48 in.	2500	5 to 5½ in.	30.00	25.00
54 in.	3500	5½ to 6 in.	40.00	35.00
60 in.	4600	6 to 7 in.	50.00	45.00

Due to labor shortage, balling prices herein quoted are subject to change without notice.

BOXING CHARGES

30x30 in.	\$.70 per foot
28x28 in.	.65 per foot
24x24 in.	.60 per foot
20x20 in.	.55 per foot
16x16 in.	.45 per foot
14x14 in.	.35 per foot
12x12 in.	.32 per foot

BALES

35 cents to \$4.00 depending on size

The weight of balls as above indicated are approximate, price quoted includes loading on your truck. In case of car loading of balls larger than 24" balls, an additional charge will be made to cover cost of labor and material used.

